

Certificate of Analysis

Sample ID: EFF1486

Report ID: TR-EFF1486

Testing for Compliance

Report Date: 05/20/2019

Test RFID: 1A401030000F105000001486

Client Name:

Epic Family Farms

License No:

020-10041847FC2

Date Sampled: 05/17/2019**Sampled by:** Yujing Wen**Sample Name:** Jack's Dream Buds**Sample Type:** Usable marijuana**Harvest Time:** N/A**Sample Weight:** 35.16 g**Description of the sample, sampling condition.
Environmental conditions that may impact
interpretation of the test result:**Dry usable marijuana. Sample appeared normal.
There were no any environmental conditions that
may impact interpretation of the test result.**Summary of Test Results**

Items	Value	Pass/Fail
Total THC:	20.5%	N/A
Total CBD:	< LOQ	N/A
Water Activity:	0.485 at 20.6 °C	Pass
Moisture Content:	10.3%	Pass
Pesticides:	< LOQ	Pass

State limit for water activity is 0.65 and 15% for moisture content.

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF1486
Report ID: TR-EFF1486

Testing for Compliance

Report Date: 05/20/2019

Test RFID: 1A401030000F105000001486

Moisture Content Analysis

Testing method: SOP-004 Analyzed by: Yujing Wen Analyzed date: 05/18/2019

Batch ID: MC051819

Analyte	Result
Water	10.3%

Water Activity Analysis

Testing method: SOP-009 Analyzed by: Yujing Wen Analyzed date: 05/17/2019

Batch ID: WA051719

Analyte	Result	Temperature
Water Activity	0.485	20.6 °C


Potency Analysis

Testing method: SOP-002 Analyzed by: Yujing Wen Analyzed date: 05/17/2019

Batch ID: PO051719

Analyte	Result, %	LOQ, %
THCV	< LOQ	0.1
CBD	< LOQ	0.1
CBG	< LOQ	0.1
CBDA	< LOQ	0.1
CBN	< LOQ	0.1
Delta-9 THC	3.9	0.1
Delta-8 THC	< LOQ	0.1
CBC	< LOQ	0.1
THCA	18.9	0.1
Total THC: $\Delta 9 + 0.877 \times \text{THCA}$	20.5	N/A
Total CBD: $\text{CBD} + 0.877 \times \text{CBDA}$	< LOQ	N/A
Total Cannabinoids:	22.8	N/A

Cannabinoids Profile



LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF1486

Report ID: TR-EFF1486

Testing for Compliance

Report Date: 05/20/2019

Test RFID: 1A401030000F105000001486

Pesticides Analysis (Unit: ppm)

Testing method: SOP-010

Analyzed by: Yujing Wen

Analyzed date: 05/18/2019

Batch ID: PE051819

Analyte	Result	LOQ	State Action Level
Abamectin	< LOQ	0.25	0.5
Acephate	< LOQ	0.20	0.4
Acequinocyl	< LOQ	1.00	2.0
Acetamiprid	< LOQ	0.10	0.2
Aldicarb	< LOQ	0.20	0.4
Azoxystrobin	< LOQ	0.10	0.2
Bifenazate	< LOQ	0.10	0.2
Bifenthrin	< LOQ	0.10	0.2
Boscalid	< LOQ	0.20	0.4
Carbaryl	< LOQ	0.10	0.2
Carbofuran	< LOQ	0.10	0.2
Chloranthraniliprole	< LOQ	0.10	0.2
Chlorfenapyr	< LOQ	1.00	1.0
Chlorpyrifos	< LOQ	0.10	0.2
Clofentezine	< LOQ	0.10	0.2
Cyfluthrin	< LOQ	0.50	1.0
Cypermethrin	< LOQ	0.50	1.0
Daminozide	< LOQ	0.50	1.0
DDVP (Dichlorvos)	< LOQ	0.50	1.0
Diazinon	< LOQ	0.10	0.2
Dimethoate	< LOQ	0.10	0.2
Ethoprophos	< LOQ	0.10	0.2
Etofenprox	< LOQ	0.20	0.4
Etoxazole	< LOQ	0.10	0.2
Fenoxycarb	< LOQ	0.10	0.2
Fenpyroximate	< LOQ	0.20	0.4
Fipronil	< LOQ	0.20	0.4
Flonicamid	< LOQ	0.50	1.0
Fludioxonil	< LOQ	0.20	0.4

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF1486

Report ID: TR-EFF1486

Testing for Compliance

Report Date: 05/20/2019

Test RFID: 1A401030000F105000001486

Hexythiazox	< LOQ	0.50	1.0
Imazalil	< LOQ	0.10	0.2
Imidacloprid	< LOQ	0.20	0.4
Kresoxim-Methyl	< LOQ	0.20	0.4
Malathion	< LOQ	0.10	0.2
Metalaxyl	< LOQ	0.10	0.2
Methiocarb	< LOQ	0.10	0.2
Methomyl	< LOQ	0.20	0.4
Methyl_Parathion	< LOQ	0.20	0.2
MGK-264	< LOQ	0.10	0.2
Myclobutanil	< LOQ	0.10	0.2
NALED (Dibrom)	< LOQ	0.25	0.5
Oxamyl	< LOQ	0.50	1.0
Paclobutrazol	< LOQ	0.20	0.4
Permethrins	< LOQ	0.10	0.2
Phosmet	< LOQ	0.10	0.2
Piperonyl_Butoxide	< LOQ	1.00	2.0
Prallethrin	< LOQ	0.10	0.2
Propiconazole	< LOQ	0.20	0.4
Propoxur	< LOQ	0.10	0.2
Pyrethrin	< LOQ	0.50	1.0
Pyridaben	< LOQ	0.10	0.2
Spinosad	< LOQ	0.10	0.2
Spiromesifen	< LOQ	0.10	0.2
Spirotetramat	< LOQ	0.10	0.2
Spiroxamine	< LOQ	0.20	0.4
Tebuconazole	< LOQ	0.20	0.4
Thiacloprid	< LOQ	0.10	0.2
Thiamethoxam	< LOQ	0.10	0.2
Trifloxystrobin	< LOQ	0.10	0.2

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF1486

Report ID: TR-EFF1486

Testing for Compliance

Report Date: 05/20/2019

Test RFID: 1A401030000F105000001486

Quality Control Results**Potency Analysis****Test Method:** SOP-002 by LC/MS/MS

Blank: MBLK-PO051719		Date analyzed: 05/17/2019
Analyte	Result, %	LOQ, %
THCV	< LOQ	0.1
CBD	< LOQ	0.1
CBG	< LOQ	0.1
CBDA	< LOQ	0.1
CBN	< LOQ	0.1
Delta-9 THC	< LOQ	0.1
Delta-8 THC	< LOQ	0.1
CBC	< LOQ	0.1
THCA	< LOQ	0.1

LCS: LCS-PO051719		Date analyzed: 05/17/2019
Analyte	% Recovery	% Recovery Criteria
THCV	91	70-130
CBD	113	70-130
CBG	96	70-130
CBDA	101	70-130
CBN	86	70-130
Delta-9 THC	92	70-130
Delta-8 THC	92	70-130
CBC	91	70-130
THCA	92	70-130

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF1486

Report ID: TR-EFF1486

Testing for Compliance

Report Date: 05/20/2019

Test RFID: 1A401030000F105000001486

Quality Control Results

Pesticides Analysis (Unit: ppm)

Testing method: SOP-010 by LC/MS/MS

Blank: MBLK-PE051819		Date analyzed: 05/18/2019	
Analyte	Result	LOQ	State Action Level
Abamectin	< LOQ	0.25	0.5
Acephate	< LOQ	0.20	0.4
Acequinocyl	< LOQ	1.00	2.0
Acetamiprid	< LOQ	0.10	0.2
Aldicarb	< LOQ	0.20	0.4
Azoxystrobin	< LOQ	0.10	0.2
Bifenazate	< LOQ	0.10	0.2
Bifenthrin	< LOQ	0.10	0.2
Boscalid	< LOQ	0.20	0.4
Carbaryl	< LOQ	0.10	0.2
Carbofuran	< LOQ	0.10	0.2
Chloranthraniliprole	< LOQ	0.10	0.2
Chlorfenapyr	< LOQ	1.00	1.0
Chlorpyrifos	< LOQ	0.10	0.2
Clofentezine	< LOQ	0.10	0.2
Cyfluthrin	< LOQ	0.50	1.0
Cypermethrin	< LOQ	0.50	1.0
Daminozide	< LOQ	0.50	1.0
DDVP (Dichlorvos)	< LOQ	0.50	1.0
Diazinon	< LOQ	0.10	0.2
Dimethoate	< LOQ	0.10	0.2
Ethoprophos	< LOQ	0.10	0.2
Etofenprox	< LOQ	0.20	0.4
Etoxazole	< LOQ	0.10	0.2
Fenoxycarb	< LOQ	0.10	0.2
Fenpyroximate	< LOQ	0.20	0.4

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF1486

Report ID: TR-EFF1486

Testing for Compliance

Report Date: 05/20/2019

Test RFID: 1A401030000F105000001486

Fipronil	< LOQ	0.20	0.4
Flonicamid	< LOQ	0.50	1.0
Fludioxonil	< LOQ	0.20	0.4
Hexythiazox	< LOQ	0.50	1.0
Imazalil	< LOQ	0.10	0.2
Imidacloprid	< LOQ	0.20	0.4
Kresoxim-Methyl	< LOQ	0.20	0.4
Malathion	< LOQ	0.10	0.2
Metalaxyl	< LOQ	0.10	0.2
Methiocarb	< LOQ	0.10	0.2
Methomyl	< LOQ	0.20	0.4
Methyl_Parathion	< LOQ	0.20	0.2
MGK-264	< LOQ	0.10	0.2
Myclobutanil	< LOQ	0.10	0.2
NALED (Dibrom)	< LOQ	0.25	0.5
Oxamyl	< LOQ	0.50	1.0
Paclobutrazol	< LOQ	0.20	0.4
Permethrins	< LOQ	0.10	0.2
Phosmet	< LOQ	0.10	0.2
Piperonyl_Butoxide	< LOQ	1.00	2.0
Prallethrin	< LOQ	0.10	0.2
Propiconazole	< LOQ	0.20	0.4
Propoxur	< LOQ	0.10	0.2
Pyrethrin	< LOQ	0.50	1.0
Pyridaben	< LOQ	0.10	0.2
Spinosad	< LOQ	0.10	0.2
Spiromesifen	< LOQ	0.10	0.2
Spirotetramat	< LOQ	0.10	0.2
Spiroxamine	< LOQ	0.20	0.4
Tebuconazole	< LOQ	0.20	0.4
Thiacloprid	< LOQ	0.10	0.2
Thiamethoxam	< LOQ	0.10	0.2
Trifloxystrobin	< LOQ	0.10	0.2

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF1486

Report ID: TR-EFF1486

Testing for Compliance

Report Date: 05/20/2019

Test RFID: 1A401030000F105000001486

LCS: LCS-PE051819			Date analyzed: 05/18/2019	
Analyte	% Recovery	% Recovery Criteria	LOQ	State Action Level
Abamectin	99	10-190	0.25	0.5
Acephate	96	30-170	0.20	0.4
Acequinocyl	61	10-190	1.00	2.0
Acetamiprid	83	30-170	0.10	0.2
Aldicarb	77	30-170	0.20	0.4
Azoxystrobin	102	30-170	0.10	0.2
Bifenazate	90	10-190	0.10	0.2
Bifenthrin	53	30-170	0.10	0.2
Boscalid	105	30-170	0.20	0.4
Carbaryl	105	30-170	0.10	0.2
Carbofuran	81	30-170	0.10	0.2
Chloranthraniliprole	95	30-170	0.10	0.2
Chlorfenapyr	66	10-190	1.00	1.0
Chlorpyrifos	67	30-170	0.10	0.2
Clofentezine	89	30-170	0.10	0.2
Cyfluthrin	105	30-170	0.50	1.0
Cypermethrin	104	30-170	0.50	1.0
Daminozide	137	30-170	0.50	1.0
DDVP (Dichlorvos)	96	30-170	0.50	1.0
Diazinon	84	30-170	0.10	0.2
Dimethoate	85	30-170	0.10	0.2
Ethoprophos	90	30-170	0.10	0.2
Etofenprox	65	30-170	0.20	0.4
Etoxazole	62	30-170	0.10	0.2
Fenoxycarb	104	30-170	0.10	0.2
Fenpyroximate	124	30-170	0.20	0.4
Fipronil	123	10-190	0.20	0.4
Flonicamid	97	10-190	0.50	1.0
Fludioxonil	63	10-190	0.20	0.4
Hexythiazox	64	30-170	0.50	1.0
Imazalil	102	30-170	0.10	0.2

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF1486
Report ID: TR-EFF1486

Testing for Compliance

Report Date: 05/20/2019

Source RFID: 1A401030000F105000001462

Test RFID: 1A401030000F105000001486

Imidacloprid	101	30-170	0.20	0.4
Kresoxim-Methyl	58	30-170	0.20	0.4
Malathion	88	30-170	0.10	0.2
Metalaxyl	80	30-170	0.10	0.2
Methiocarb	76	30-170	0.10	0.2
Methomyl	97	30-170	0.20	0.4
Methyl_Parathion	82	10-190	0.20	0.2
MGK-264	121	10-190	0.10	0.2
Myclobutanil	131	30-170	0.10	0.2
NALED (Dibrom)	93	30-170	0.25	0.5
Oxamyl	83	10-190	0.50	1.0
Paclobutrazol	77	30-170	0.20	0.4
Permethrins	43	30-170	0.10	0.2
Phosmet	82	30-170	0.10	0.2
Piperonyl_Butoxide	90	30-170	1.00	2.0
Prallethrin	87	30-170	0.10	0.2
Propiconazole	104	30-170	0.20	0.4
Propoxur	92	30-170	0.10	0.2
Pyrethrin	122	30-170	0.50	1.0
Pyridaben	100	30-170	0.10	0.2
Spinosad	135	10-190	0.10	0.2
Spiromesifen	80	30-170	0.10	0.2
Spirotetramat	124	30-170	0.10	0.2
Spiroxamine	110	30-170	0.20	0.4
Tebuconazole	140	30-170	0.20	0.4
Thiacloprid	65	30-170	0.10	0.2
Thiamethoxam	84	30-170	0.10	0.2
Trifloxystrobin	65	30-170	0.10	0.2

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF1486
Report ID: TR-EFF1486

Testing for Compliance

Report Date: 05/20/2019

Test RFID: 1A401030000F105000001486

Attachments:

Note: if answer is Yes for following items, statement is attached. Otherwise, no attachment.

<u>Deviation occurred in test?</u> Answer: No	<u>Opinion and interpretation provided?</u> Answer: No
--	---

Comments: "N/A" if there is no comment made
N/A

Shuguo Ma, Ph.D, Quality Manager

Signature:



Date:

20May2019

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.
These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.