

Certificate of Analysis

Sample ID: EF0270

Report ID: TR-EF0270

Testing for Compliance

Report Date: 07/19/2018

Report Expiry: 07/19/2019

Test RFID: 1A401030000F105000000270

Client Name:

Epic Family Farms

License No:

020-10041847FC2

Date Sampled: 07/17/2018**Sampled by:** Yujing Wen**Sample Name:** Blue Dream Flower (buds)**Sample Type:** Usable marijuana**Sample Weight:** 18.2 g**Description of the sample, sampling condition.
Environmental conditions that may impact
interpretation of the test result:**Dry usable marijuana. Sample appeared normal.
There were no any environmental conditions that
may impact interpretation of the test result.**Summary of Test Results**

Items	Value	Pass/Fail
Total THC:	27.2%	N/A
Total CBD:	< LOQ	N/A
Water Activity:	0.461 at 27.9 °C	Pass
Moisture Content:	10.2%	N/A
Pesticides:	< LOQ	Pass

State limit for water activity is 0.65.

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EF0270
Report ID: TR-EF0270

Testing for Compliance

Report Date: 07/19/2018
Report Expiry: 07/19/2019

Test RFID: 1A401030000F105000000270

Moisture Content Analysis

Testing method: SOP-004 Analyzed by: Yujing Wen Analyzed date: 07/18/2018

Batch ID: MC071818

Analyte	Result
Water	10.2%

Water Activity Analysis

Testing method: SOP-009 Analyzed by: Yujing Wen Analyzed date: 07/17/2018

Batch ID: WA071718

Analyte	Result	Temperature
Water Activity	0.461	27.9 °C


Potency Analysis

Testing method: SOP-002 Analyzed by: Yujing Wen Analyzed date: 07/17/2018

Batch ID: PO071718

Analyte	Result, %	LOQ, %
THCV	< LOQ	0.1
CBD	< LOQ	0.1
CBG	< LOQ	0.1
CBDA	< LOQ	0.1
CBN	< LOQ	0.1
Delta-9 THC	4.6	0.1
CBC	< LOQ	0.1
THCA	25.8	0.1
Total THC: $\Delta 9 + 0.877 \times \text{THCA}$	27.2	N/A
Total CBD: $\text{CBD} + 0.877 \times \text{CBDA}$	< LOQ	N/A
Total Cannabinoids:	30.6	N/A

Cannabinoids Profile



LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.
These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EF0270

Report ID: TR-EF0270

Testing for Compliance

Report Date: 07/19/2018

Report Expiry: 07/19/2019

Test RFID: 1A401030000F105000000270

Pesticides Analysis (Unit: ppm)

Testing method: SOP-010

Analyzed by: Yujing Wen

Analyzed date: 07/18/2018

Batch ID: PE071818

Analyte	Result	LOQ	State Action Level
Abamectin	< LOQ	0.25	0.5
Acephate	< LOQ	0.20	0.4
Acequinocyl	< LOQ	1.00	2.0
Acetamiprid	< LOQ	0.10	0.2
Aldicarb	< LOQ	0.20	0.4
Azoxystrobin	< LOQ	0.10	0.2
Bifenazate	< LOQ	0.10	0.2
Bifenthrin	< LOQ	0.10	0.2
Boscalid	< LOQ	0.20	0.4
Carbaryl	< LOQ	0.10	0.2
Carbofuran	< LOQ	0.10	0.2
Chloranthraniliprole	< LOQ	0.10	0.2
Chlorfenapyr	< LOQ	1.00	1.0
Chlorpyrifos	< LOQ	0.10	0.2
Clofentezine	< LOQ	0.10	0.2
Cyfluthrin	< LOQ	0.50	1.0
Cypermethrin	< LOQ	0.50	1.0
Daminozide	< LOQ	0.50	1.0
DDVP (Dichlorvos)	< LOQ	0.50	1.0
Diazinon	< LOQ	0.10	0.2
Dimethoate	< LOQ	0.10	0.2
Ethoprophos	< LOQ	0.10	0.2
Etofenprox	< LOQ	0.20	0.4
Etoxazole	< LOQ	0.10	0.2
Fenoxycarb	< LOQ	0.10	0.2
Fenpyroximate	< LOQ	0.20	0.4
Fipronil	< LOQ	0.20	0.4
Flonicamid	< LOQ	0.50	1.0
Fludioxonil	< LOQ	0.20	0.4

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EF0270

Report ID: TR-EF0270

Testing for Compliance

Report Date: 07/19/2018

Report Expiry: 07/19/2019

Test RFID: 1A401030000F105000000270

Hexythiazox	< LOQ	0.50	1.0
Imazalil	< LOQ	0.10	0.2
Imidacloprid	< LOQ	0.20	0.4
Kresoxim-Methyl	< LOQ	0.20	0.4
Malathion	< LOQ	0.10	0.2
Metalaxyl	< LOQ	0.10	0.2
Methiocarb	< LOQ	0.10	0.2
Methomyl	< LOQ	0.20	0.4
Methyl_Parathion	< LOQ	0.20	0.2
MGK-264	< LOQ	0.10	0.2
Myclobutanil	< LOQ	0.10	0.2
NALED (Dibrom)	< LOQ	0.25	0.5
Oxamyl	< LOQ	0.50	1.0
Paclobutrazol	< LOQ	0.20	0.4
Permethrins	< LOQ	0.10	0.2
Phosmet	< LOQ	0.10	0.2
Piperonyl_Butoxide	< LOQ	1.00	2.0
Prallethrin	< LOQ	0.10	0.2
Propiconazole	< LOQ	0.20	0.4
Propoxur	< LOQ	0.10	0.2
Pyrethrin	< LOQ	0.50	1.0
Pyridaben	< LOQ	0.10	0.2
Spinosad	< LOQ	0.10	0.2
Spiromesifen	< LOQ	0.10	0.2
Spirotetramat	< LOQ	0.10	0.2
Spiroxamine	< LOQ	0.20	0.4
Tebuconazole	< LOQ	0.20	0.4
Thiacloprid	< LOQ	0.10	0.2
Thiamethoxam	< LOQ	0.10	0.2
Trifloxystrobin	< LOQ	0.10	0.2

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EF0270
Report ID: TR-EF0270

Testing for Compliance

Report Date: 07/19/2018
Report Expiry: 07/19/2019

Test RFID: 1A401030000F105000000270

Quality Control Results

Potency Analysis

Test Method: SOP-002 by LC/MS/MS

Blank: MBLK-PO071718		Date analyzed: 07/17/2018
Analyte	Result, %	LOQ, %
THCV	< LOQ	0.1
CBD	< LOQ	0.1
CBG	< LOQ	0.1
CBDA	< LOQ	0.1
CBN	< LOQ	0.1
Delta-9 THC	< LOQ	0.1
CBC	< LOQ	0.1
THCA	< LOQ	0.1

LCS: LCS-PO071718		Date analyzed: 07/17/2018
Analyte	% Recovery	% Recovery Criteria
THCV	90	70-130
CBD	102	70-130
CBG	112	70-130
CBDA	83	70-130
CBN	91	70-130
Delta-9 THC	113	70-130
CBC	109	70-130
THCA	94	70-130

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.
These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EF0270

Report ID: TR-EF0270

Testing for Compliance

Report Date: 07/19/2018

Report Expiry: 07/19/2019

Test RFID: 1A401030000F105000000270

Quality Control Results

Pesticides Analysis (Unit: ppm)

Testing method: SOP-010 by LC/MS/MS

Blank: MBLK-PE071818		Date analyzed: 07/18/2018	
Analyte	Result	LOQ	State Action Level
Abamectin	< LOQ	0.25	0.5
Acephate	< LOQ	0.20	0.4
Acequinocyl	< LOQ	1.00	2.0
Acetamiprid	< LOQ	0.10	0.2
Aldicarb	< LOQ	0.20	0.4
Azoxystrobin	< LOQ	0.10	0.2
Bifenazate	< LOQ	0.10	0.2
Bifenthrin	< LOQ	0.10	0.2
Boscalid	< LOQ	0.20	0.4
Carbaryl	< LOQ	0.10	0.2
Carbofuran	< LOQ	0.10	0.2
Chloranthraniliprole	< LOQ	0.10	0.2
Chlorfenapyr	< LOQ	1.00	1.0
Chlorpyrifos	< LOQ	0.10	0.2
Clofentezine	< LOQ	0.10	0.2
Cyfluthrin	< LOQ	0.50	1.0
Cypermethrin	< LOQ	0.50	1.0
Daminozide	< LOQ	0.50	1.0
DDVP (Dichlorvos)	< LOQ	0.50	1.0
Diazinon	< LOQ	0.10	0.2
Dimethoate	< LOQ	0.10	0.2
Ethoprophos	< LOQ	0.10	0.2
Etofenprox	< LOQ	0.20	0.4
Etoxazole	< LOQ	0.10	0.2
Fenoxycarb	< LOQ	0.10	0.2
Fenpyroximate	< LOQ	0.20	0.4

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EF0270

Report ID: TR-EF0270

Testing for Compliance

Report Date: 07/19/2018

Report Expiry: 07/19/2019

Test RFID: 1A401030000F105000000270

Fipronil	< LOQ	0.20	0.4
Flonicamid	< LOQ	0.50	1.0
Fludioxonil	< LOQ	0.20	0.4
Hexythiazox	< LOQ	0.50	1.0
Imazalil	< LOQ	0.10	0.2
Imidacloprid	< LOQ	0.20	0.4
Kresoxim-Methyl	< LOQ	0.20	0.4
Malathion	< LOQ	0.10	0.2
Metalaxyl	< LOQ	0.10	0.2
Methiocarb	< LOQ	0.10	0.2
Methomyl	< LOQ	0.20	0.4
Methyl_Parathion	< LOQ	0.20	0.2
MGK-264	< LOQ	0.10	0.2
Myclobutanil	< LOQ	0.10	0.2
NALED (Dibrom)	< LOQ	0.25	0.5
Oxamyl	< LOQ	0.50	1.0
Paclobutrazol	< LOQ	0.20	0.4
Permethrins	< LOQ	0.10	0.2
Phosmet	< LOQ	0.10	0.2
Piperonyl_Butoxide	< LOQ	1.00	2.0
Prallethrin	< LOQ	0.10	0.2
Propiconazole	< LOQ	0.20	0.4
Propoxur	< LOQ	0.10	0.2
Pyrethrin	< LOQ	0.50	1.0
Pyridaben	< LOQ	0.10	0.2
Spinosad	< LOQ	0.10	0.2
Spiromesifen	< LOQ	0.10	0.2
Spirotetramat	< LOQ	0.10	0.2
Spiroxamine	< LOQ	0.20	0.4
Tebuconazole	< LOQ	0.20	0.4
Thiacloprid	< LOQ	0.10	0.2
Thiamethoxam	< LOQ	0.10	0.2
Trifloxystrobin	< LOQ	0.10	0.2

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EF0270

Report ID: TR-EF0270

Testing for Compliance

Report Date: 07/19/2018

Report Expiry: 07/19/2019

Test RFID: 1A401030000F105000000270

LCS: LCS-PE071818			Date analyzed: 07/18/2018	
Analyte	% Recovery	% Recovery Criteria	LOQ	State Action Level
Abamectin	92	10-190	0.25	0.5
Acephate	123	30-170	0.20	0.4
Acequinocyl	15	10-190	1.00	2.0
Acetamiprid	95	30-170	0.10	0.2
Aldicarb	122	30-170	0.20	0.4
Azoxystrobin	92	30-170	0.10	0.2
Bifenazate	110	10-190	0.10	0.2
Bifenthrin	90	30-170	0.10	0.2
Boscalid	121	30-170	0.20	0.4
Carbaryl	98	30-170	0.10	0.2
Carbofuran	107	30-170	0.10	0.2
Chloranthraniliprole	107	30-170	0.10	0.2
Chlorfenapyr	90	10-190	1.00	1.0
Chlorpyrifos	112	30-170	0.10	0.2
Clofentezine	126	30-170	0.10	0.2
Cyfluthrin	158	30-170	0.50	1.0
Cypermethrin	129	30-170	0.50	1.0
Daminozide	133	30-170	0.50	1.0
DDVP (Dichlorvos)	123	30-170	0.50	1.0
Diazinon	115	30-170	0.10	0.2
Dimethoate	146	30-170	0.10	0.2
Ethoprophos	122	30-170	0.10	0.2
Etofenprox	61	30-170	0.20	0.4
Etoxazole	91	30-170	0.10	0.2
Fenoxycarb	117	30-170	0.10	0.2
Fenpyroximate	116	30-170	0.20	0.4
Fipronil	126	10-190	0.20	0.4
Flonicamid	133	10-190	0.50	1.0
Fludioxonil	94	10-190	0.20	0.4
Hexythiazox	112	30-170	0.50	1.0
Imazalil	103	30-170	0.10	0.2
Imidacloprid	98	30-170	0.20	0.4

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EF0270

Report ID: TR-EF0270

Testing for Compliance

Report Date: 07/19/2018

Report Expiry: 07/19/2019

Test RFID: 1A401030000F105000000270

Kresoxim-Methyl	77	30-170	0.20	0.4
Malathion	64	30-170	0.10	0.2
Metalaxyl	120	30-170	0.10	0.2
Methiocarb	115	30-170	0.10	0.2
Methomyl	104	30-170	0.20	0.4
Methyl_Parathion	153	10-190	0.20	0.2
MGK-264	101	10-190	0.10	0.2
Myclobutanil	120	30-170	0.10	0.2
NALED (Dibrom)	89	30-170	0.25	0.5
Oxamyl	143	10-190	0.50	1.0
Paclobutrazol	116	30-170	0.20	0.4
Permethrins	59	30-170	0.10	0.2
Phosmet	85	30-170	0.10	0.2
Piperonyl_Butoxide	93	30-170	1.00	2.0
Prallethrin	125	30-170	0.10	0.2
Propiconazole	121	30-170	0.20	0.4
Propoxur	112	30-170	0.10	0.2
Pyrethrin	133	30-170	0.50	1.0
Pyridaben	109	30-170	0.10	0.2
Spinosad	143	10-190	0.10	0.2
Spiromesifen	119	30-170	0.10	0.2
Spirotetramat	108	30-170	0.10	0.2
Spiroxamine	114	30-170	0.20	0.4
Tebuconazole	114	30-170	0.20	0.4
Thiacloprid	127	30-170	0.10	0.2
Thiamethoxam	111	30-170	0.10	0.2
Trifloxystrobin	98	30-170	0.10	0.2

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EF0270
Report ID: TR-EF0270

Testing for Compliance

Report Date: 07/19/2018
Report Expiry: 07/19/2019

Source RFID: 1A401030000F105000000269

Test RFID: 1A401030000F105000000270

Attachments:

Note: if answer is Yes for following items, statement is attached. Otherwise, no attachment.

<u>Deviation occurred in test?</u>	<u>Opinion and interpretation provided?</u>
Answer: No	Answer: No

Comments: "N/A" if there is no comment made
N/A

Shuguo Ma, Ph.D, Quality Manager

Signature:



Date:

19Jul2018

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.
These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.