

Certificate of Analysis

Sample ID: EF0348

Report ID: TR- EF0348

Testing for Compliance

Report Date: 08/31/2018

Report Expiry: 08/31/2019

Test RFID: 1A401030000F105000000348

Client Name:

Epic Family Farms

License No:

020-10041847FC2

Date Sampled: 08/29/2018**Sampled by:** Yujing Wen**Sample Name:** Mendo Grape (buds)**Sample Type:** Usable marijuana**Harvest Time:** N/A**Sample Weight:** 14.34 g**Description of the sample, sampling condition.
Environmental conditions that may impact
interpretation of the test result:**Dry usable marijuana. Sample appeared normal.
There were no any environmental conditions that
may impact interpretation of the test result.**Summary of Test Results**

Items	Value	Pass/Fail
Total THC:	18.9%	N/A
Total CBD:	< LOQ	N/A
Water Activity:	0.406 at 25.1 °C	Pass
Moisture Content:	9.8%	N/A
Pesticides:	< LOQ	Pass

State limit for water activity is 0.65.

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EF0348

Report ID: TR- EF0348

Testing for Compliance

Report Date: 08/31/2018

Report Expiry: 08/31/2019

Test RFID: 1A401030000F105000000348

Moisture Content Analysis

Testing method: SOP-004

Analyzed by: Yujing Wen

Analyzed date: 08/30/2018

Batch ID: MC083018

Analyte	Result
Water	9.8%

Water Activity Analysis

Testing method: SOP-009

Analyzed by: Yujing Wen

Analyzed date: 08/30/2018

Batch ID: WA083018

Analyte	Result	Temperature
Water Activity	0.406	25.1 °C

Potency Analysis

Testing method: SOP-002


Analyzed by: Yujing Wen

Analyzed date: 08/29/2018

Batch ID: PO082918

Analyte	Result, %	LOQ, %
THCV	0.2	0.1
CBD	< LOQ	0.1
CBG	< LOQ	0.1
CBDA	< LOQ	0.1
CBN	< LOQ	0.1
Delta-9 THC	5.3	0.1
Delta-8 THC	< LOQ	0.1
CBC	< LOQ	0.1
THCA	15.5	0.1
Total THC: $\Delta 9 + 0.877 \times \text{THCA}$	18.9	N/A
Total CBD: $\text{CBD} + 0.877 \times \text{CBDA}$	< LOQ	N/A
Total Cannabinoids:	21.0	N/A

Cannabinoids Profile



LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EF0348

Report ID: TR- EF0348

Testing for Compliance

Report Date: 08/31/2018

Report Expiry: 08/31/2019

Test RFID: 1A401030000F105000000348

Pesticides Analysis (Unit: ppm)

Testing method: SOP-010

Analyzed by: Yujing Wen

Analyzed date: 08/31/2018

Batch ID: PE083118

Analyte	Result	LOQ	State Action Level
Abamectin	< LOQ	0.25	0.5
Acephate	< LOQ	0.20	0.4
Acequinocyl	< LOQ	1.00	2.0
Acetamiprid	< LOQ	0.10	0.2
Aldicarb	< LOQ	0.20	0.4
Azoxystrobin	< LOQ	0.10	0.2
Bifenazate	< LOQ	0.10	0.2
Bifenthrin	< LOQ	0.10	0.2
Boscalid	< LOQ	0.20	0.4
Carbaryl	< LOQ	0.10	0.2
Carbofuran	< LOQ	0.10	0.2
Chloranthraniliprole	< LOQ	0.10	0.2
Chlorfenapyr	< LOQ	1.00	1.0
Chlorpyrifos	< LOQ	0.10	0.2
Clofentezine	< LOQ	0.10	0.2
Cyfluthrin	< LOQ	0.50	1.0
Cypermethrin	< LOQ	0.50	1.0
Daminozide	< LOQ	0.50	1.0
DDVP (Dichlorvos)	< LOQ	0.50	1.0
Diazinon	< LOQ	0.10	0.2
Dimethoate	< LOQ	0.10	0.2
Ethoprophos	< LOQ	0.10	0.2
Etofenprox	< LOQ	0.20	0.4
Etoxazole	< LOQ	0.10	0.2
Fenoxycarb	< LOQ	0.10	0.2
Fenpyroximate	< LOQ	0.20	0.4
Fipronil	< LOQ	0.20	0.4
Flonicamid	< LOQ	0.50	1.0
Fludioxonil	< LOQ	0.20	0.4

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EF0348

Report ID: TR- EF0348

Testing for Compliance

Report Date: 08/31/2018

Report Expiry: 08/31/2019

Test RFID: 1A401030000F105000000348

Hexythiazox	< LOQ	0.50	1.0
Imazalil	< LOQ	0.10	0.2
Imidacloprid	< LOQ	0.20	0.4
Kresoxim-Methyl	< LOQ	0.20	0.4
Malathion	< LOQ	0.10	0.2
Metalaxyl	< LOQ	0.10	0.2
Methiocarb	< LOQ	0.10	0.2
Methomyl	< LOQ	0.20	0.4
Methyl_Parathion	< LOQ	0.20	0.2
MGK-264	< LOQ	0.10	0.2
Myclobutanil	< LOQ	0.10	0.2
NALED (Dibrom)	< LOQ	0.25	0.5
Oxamyl	< LOQ	0.50	1.0
Paclobutrazol	< LOQ	0.20	0.4
Permethrins	< LOQ	0.10	0.2
Phosmet	< LOQ	0.10	0.2
Piperonyl_Butoxide	< LOQ	1.00	2.0
Prallethrin	< LOQ	0.10	0.2
Propiconazole	< LOQ	0.20	0.4
Propoxur	< LOQ	0.10	0.2
Pyrethrin	< LOQ	0.50	1.0
Pyridaben	< LOQ	0.10	0.2
Spinosad	< LOQ	0.10	0.2
Spiromesifen	< LOQ	0.10	0.2
Spirotetramat	< LOQ	0.10	0.2
Spiroxamine	< LOQ	0.20	0.4
Tebuconazole	< LOQ	0.20	0.4
Thiacloprid	< LOQ	0.10	0.2
Thiamethoxam	< LOQ	0.10	0.2
Trifloxystrobin	< LOQ	0.10	0.2

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EF0348

Report ID: TR- EF0348

Testing for Compliance

Report Date: 08/31/2018

Report Expiry: 08/31/2019

Test RFID: 1A401030000F105000000348

Quality Control Results**Potency Analysis****Test Method:** SOP-002 by LC/MS/MS

Blank: MBLK-PO082918		Date analyzed: 08/29/2018
Analyte	Result, %	LOQ, %
THCV	< LOQ	0.1
CBD	< LOQ	0.1
CBG	< LOQ	0.1
CBDA	< LOQ	0.1
CBN	< LOQ	0.1
Delta-9 THC	< LOQ	0.1
Delta-8 THC	< LOQ	0.1
CBC	< LOQ	0.1
THCA	< LOQ	0.1

LCS: LCS-PO082918		Date analyzed: 08/29/2018
Analyte	% Recovery	% Recovery Criteria
THCV	114	70-130
CBD	109	70-130
CBG	101	70-130
CBDA	90	70-130
CBN	108	70-130
Delta-9 THC	109	70-130
Delta-8 THC	108	70-130
CBC	95	70-130
THCA	78	70-130

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EF0348

Report ID: TR- EF0348

Testing for Compliance

Report Date: 08/31/2018

Report Expiry: 08/31/2019

Test RFID: 1A401030000F105000000348

Quality Control Results

Pesticides Analysis (Unit: ppm)

Testing method: SOP-010 by LC/MS/MS

Blank: MBLK-PE083118		Date analyzed: 08/31/2018	
Analyte	Result	LOQ	State Action Level
Abamectin	< LOQ	0.25	0.5
Acephate	< LOQ	0.20	0.4
Acequinocyl	< LOQ	1.00	2.0
Acetamiprid	< LOQ	0.10	0.2
Aldicarb	< LOQ	0.20	0.4
Azoxystrobin	< LOQ	0.10	0.2
Bifenazate	< LOQ	0.10	0.2
Bifenthrin	< LOQ	0.10	0.2
Boscalid	< LOQ	0.20	0.4
Carbaryl	< LOQ	0.10	0.2
Carbofuran	< LOQ	0.10	0.2
Chloranthraniliprole	< LOQ	0.10	0.2
Chlorfenapyr	< LOQ	1.00	1.0
Chlorpyrifos	< LOQ	0.10	0.2
Clofentezine	< LOQ	0.10	0.2
Cyfluthrin	< LOQ	0.50	1.0
Cypermethrin	< LOQ	0.50	1.0
Daminozide	< LOQ	0.50	1.0
DDVP (Dichlorvos)	< LOQ	0.50	1.0
Diazinon	< LOQ	0.10	0.2
Dimethoate	< LOQ	0.10	0.2
Ethoprophos	< LOQ	0.10	0.2
Etofenprox	< LOQ	0.20	0.4
Etoxazole	< LOQ	0.10	0.2
Fenoxycarb	< LOQ	0.10	0.2
Fenpyroximate	< LOQ	0.20	0.4

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EF0348

Report ID: TR- EF0348

Testing for Compliance

Report Date: 08/31/2018

Report Expiry: 08/31/2019

Test RFID: 1A401030000F105000000348

Fipronil	< LOQ	0.20	0.4
Flonicamid	< LOQ	0.50	1.0
Fludioxonil	< LOQ	0.20	0.4
Hexythiazox	< LOQ	0.50	1.0
Imazalil	< LOQ	0.10	0.2
Imidacloprid	< LOQ	0.20	0.4
Kresoxim-Methyl	< LOQ	0.20	0.4
Malathion	< LOQ	0.10	0.2
Metalaxyl	< LOQ	0.10	0.2
Methiocarb	< LOQ	0.10	0.2
Methomyl	< LOQ	0.20	0.4
Methyl_Parathion	< LOQ	0.20	0.2
MGK-264	< LOQ	0.10	0.2
Myclobutanil	< LOQ	0.10	0.2
NALED (Dibrom)	< LOQ	0.25	0.5
Oxamyl	< LOQ	0.50	1.0
Paclobutrazol	< LOQ	0.20	0.4
Permethrins	< LOQ	0.10	0.2
Phosmet	< LOQ	0.10	0.2
Piperonyl_Butoxide	< LOQ	1.00	2.0
Prallethrin	< LOQ	0.10	0.2
Propiconazole	< LOQ	0.20	0.4
Propoxur	< LOQ	0.10	0.2
Pyrethrin	< LOQ	0.50	1.0
Pyridaben	< LOQ	0.10	0.2
Spinosad	< LOQ	0.10	0.2
Spiromesifen	< LOQ	0.10	0.2
Spirotetramat	< LOQ	0.10	0.2
Spiroxamine	< LOQ	0.20	0.4
Tebuconazole	< LOQ	0.20	0.4
Thiacloprid	< LOQ	0.10	0.2
Thiamethoxam	< LOQ	0.10	0.2
Trifloxystrobin	< LOQ	0.10	0.2

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EF0348

Report ID: TR- EF0348

Testing for Compliance

Report Date: 08/31/2018

Report Expiry: 08/31/2019

Test RFID: 1A401030000F105000000348

LCS: LCS-PE083118		Date analyzed: 08/31/2018		
Analyte	% Recovery	% Recovery Criteria	LOQ	State Action Level
Abamectin	114	10-190	0.25	0.5
Acephate	122	30-170	0.20	0.4
Acequinocyl	66	10-190	1.00	2.0
Acetamiprid	126	30-170	0.10	0.2
Aldicarb	38	30-170	0.20	0.4
Azoxystrobin	110	30-170	0.10	0.2
Bifenazate	71	10-190	0.10	0.2
Bifenthrin	88	30-170	0.10	0.2
Boscalid	88	30-170	0.20	0.4
Carbaryl	128	30-170	0.10	0.2
Carbofuran	88	30-170	0.10	0.2
Chloranthraniliprole	90	30-170	0.10	0.2
Chlorfenapyr	124	10-190	1.00	1.0
Chlorpyrifos	125	30-170	0.10	0.2
Clofentezine	110	30-170	0.10	0.2
Cyfluthrin	130	30-170	0.50	1.0
Cypermethrin	134	30-170	0.50	1.0
Daminozide	105	30-170	0.50	1.0
DDVP (Dichlorvos)	92	30-170	0.50	1.0
Diazinon	137	30-170	0.10	0.2
Dimethoate	91	30-170	0.10	0.2
Ethoprophos	125	30-170	0.10	0.2
Etofenprox	138	30-170	0.20	0.4
Etoxazole	134	30-170	0.10	0.2
Fenoxycarb	98	30-170	0.10	0.2
Fenpyroximate	96	30-170	0.20	0.4
Fipronil	87	10-190	0.20	0.4
Flonicamid	103	10-190	0.50	1.0
Fludioxonil	104	10-190	0.20	0.4
Hexythiazox	137	30-170	0.50	1.0
Imazalil	92	30-170	0.10	0.2
Imidacloprid	114	30-170	0.20	0.4

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EF0348

Report ID: TR- EF0348

Testing for Compliance

Report Date: 08/31/2018

Report Expiry: 08/31/2019

Test RFID: 1A401030000F105000000348

Kresoxim-Methyl	112	30-170	0.20	0.4
Malathion	88	30-170	0.10	0.2
Metalaxyl	124	30-170	0.10	0.2
Methiocarb	75	30-170	0.10	0.2
Methomyl	131	30-170	0.20	0.4
Methyl_Parathion	87	10-190	0.20	0.2
MGK-264	107	10-190	0.10	0.2
Myclobutanil	126	30-170	0.10	0.2
NALED (Dibrom)	84	30-170	0.25	0.5
Oxamyl	103	10-190	0.50	1.0
Paclobutrazol	91	30-170	0.20	0.4
Permethrins	125	30-170	0.10	0.2
Phosmet	89	30-170	0.10	0.2
Piperonyl_Butoxide	122	30-170	1.00	2.0
Prallethrin	96	30-170	0.10	0.2
Propiconazole	139	30-170	0.20	0.4
Propoxur	91	30-170	0.10	0.2
Pyrethrin	130	30-170	0.50	1.0
Pyridaben	124	30-170	0.10	0.2
Spinosad	159	10-190	0.10	0.2
Spiromesifen	89	30-170	0.10	0.2
Spirotetramat	129	30-170	0.10	0.2
Spiroxamine	97	30-170	0.20	0.4
Tebuconazole	137	30-170	0.20	0.4
Thiacloprid	134	30-170	0.10	0.2
Thiamethoxam	134	30-170	0.10	0.2
Trifloxystrobin	125	30-170	0.10	0.2

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EF0348

Report ID: TR- EF0348

Testing for Compliance

Report Date: 08/31/2018

Report Expiry: 08/31/2019

Test RFID: 1A401030000F105000000348

Attachments:

Note: if answer is Yes for following items, statement is attached. Otherwise, no attachment.

<u>Deviation occurred in test?</u>	<u>Opinion and interpretation provided?</u>
Answer: No	Answer: No

Comments: "N/A" if there is no comment made

N/A

Shuguo Ma, Ph.D, Quality Manager

Signature:



Date:

31Aug2018

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.