

Certificate of Analysis

Sample ID: EFF1016

Report ID: TR- EFF1016

Testing for Compliance

Report Date: 02/03/2019

Report Expiry: 02/03/2020

Test RFID: 1A401030000F105000001016

Client Name:

Epic Family Farms

License No:

020-10041847FC2

Date Sampled: 02/01/2019**Sampled by:** Yujing Wen**Sample Name:** Lemon Kush (buds)**Sample Type:** Usable marijuana**Harvest Time:** 10/13/2018**Sample Weight:** 35.35 g**Description of the sample, sampling condition.
Environmental conditions that may impact
interpretation of the test result:**Dry usable marijuana. Sample appeared normal.
There were no any environmental conditions that
may impact interpretation of the test result.**Summary of Test Results**

Items	Value	Pass/Fail
Total THC:	23.2%	N/A
Total CBD:	< LOQ	N/A
Water Activity:	0.484 at 20.5 °C	Pass
Moisture Content:	10.6%	N/A
Pesticides:	< LOQ	Pass

State limit for water activity is 0.65.

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF1016
Report ID: TR- EFF1016

Testing for Compliance

Report Date: 02/03/2019
Report Expiry: 02/03/2020

Source RFID: 1A401030000F105000001015

Test RFID: 1A401030000F105000001016

Moisture Content Analysis

Testing method: SOP-004 Analyzed by: Yujing Wen Analyzed date: 02/02/2019

Batch ID: MC020219

Analyte	Result
Water	10.6%

Water Activity Analysis

Testing method: SOP-009 Analyzed by: Yujing Wen Analyzed date: 02/02/2019

Batch ID: WA020219

Analyte	Result	Temperature
Water Activity	0.484	20.5 °C


Potency Analysis

Testing method: SOP-002 Analyzed by: Yujing Wen Analyzed date: 02/01/2019

Batch ID: PO020119

Analyte	Result, %	LOQ, %
THCV	< LOQ	0.1
CBD	< LOQ	0.1
CBG	< LOQ	0.1
CBDA	< LOQ	0.1
CBN	< LOQ	0.1
Delta-9 THC	1.7	0.1
Delta-8 THC	< LOQ	0.1
CBC	< LOQ	0.1
THCA	24.5	0.1
Total THC: $\Delta 9 + 0.877 \times \text{THCA}$	23.2	N/A
Total CBD: $\text{CBD} + 0.877 \times \text{CBDA}$	< LOQ	N/A
Total Cannabinoids:	26.2	N/A

Cannabinoids Profile



LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.
These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF1016
Report ID: TR- EFF1016

Testing for Compliance

Report Date: 02/03/2019
Report Expiry: 02/03/2020

Source RFID: 1A401030000F105000001015

Test RFID: 1A401030000F105000001016

Pesticides Analysis (Unit: ppm)

Testing method: SOP-010 Analyzed by: Yujing Wen Analyzed date: 02/02/2019

Batch ID: PE020219

Analyte	Result	LOQ	State Action Level
Abamectin	< LOQ	0.25	0.5
Acephate	< LOQ	0.20	0.4
Acequinocyl	< LOQ	1.00	2.0
Acetamiprid	< LOQ	0.10	0.2
Aldicarb	< LOQ	0.20	0.4
Azoxystrobin	< LOQ	0.10	0.2
Bifenazate	< LOQ	0.10	0.2
Bifenthrin	< LOQ	0.10	0.2
Boscalid	< LOQ	0.20	0.4
Carbaryl	< LOQ	0.10	0.2
Carbofuran	< LOQ	0.10	0.2
Chloranthraniliprole	< LOQ	0.10	0.2
Chlorfenapyr	< LOQ	1.00	1.0
Chlorpyrifos	< LOQ	0.10	0.2
Clofentezine	< LOQ	0.10	0.2
Cyfluthrin	< LOQ	0.50	1.0
Cypermethrin	< LOQ	0.50	1.0
Daminozide	< LOQ	0.50	1.0
DDVP (Dichlorvos)	< LOQ	0.50	1.0
Diazinon	< LOQ	0.10	0.2
Dimethoate	< LOQ	0.10	0.2
Ethoprophos	< LOQ	0.10	0.2
Etofenprox	< LOQ	0.20	0.4
Etoxazole	< LOQ	0.10	0.2
Fenoxycarb	< LOQ	0.10	0.2
Fenpyroximate	< LOQ	0.20	0.4
Fipronil	< LOQ	0.20	0.4
Flonicamid	< LOQ	0.50	1.0
Fludioxonil	< LOQ	0.20	0.4

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF1016

Report ID: TR- EFF1016

Testing for Compliance

Report Date: 02/03/2019

Report Expiry: 02/03/2020

Test RFID: 1A401030000F105000001016

Hexythiazox	< LOQ	0.50	1.0
Imazalil	< LOQ	0.10	0.2
Imidacloprid	< LOQ	0.20	0.4
Kresoxim-Methyl	< LOQ	0.20	0.4
Malathion	< LOQ	0.10	0.2
Metalaxyl	< LOQ	0.10	0.2
Methiocarb	< LOQ	0.10	0.2
Methomyl	< LOQ	0.20	0.4
Methyl_Parathion	< LOQ	0.20	0.2
MGK-264	< LOQ	0.10	0.2
Myclobutanil	< LOQ	0.10	0.2
NALED (Dibrom)	< LOQ	0.25	0.5
Oxamyl	< LOQ	0.50	1.0
Paclobutrazol	< LOQ	0.20	0.4
Permethrins	< LOQ	0.10	0.2
Phosmet	< LOQ	0.10	0.2
Piperonyl_Butoxide	< LOQ	1.00	2.0
Prallethrin	< LOQ	0.10	0.2
Propiconazole	< LOQ	0.20	0.4
Propoxur	< LOQ	0.10	0.2
Pyrethrin	< LOQ	0.50	1.0
Pyridaben	< LOQ	0.10	0.2
Spinosad	< LOQ	0.10	0.2
Spiromesifen	< LOQ	0.10	0.2
Spirotetramat	< LOQ	0.10	0.2
Spiroxamine	< LOQ	0.20	0.4
Tebuconazole	< LOQ	0.20	0.4
Thiacloprid	< LOQ	0.10	0.2
Thiamethoxam	< LOQ	0.10	0.2
Trifloxystrobin	< LOQ	0.10	0.2

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF1016
Report ID: TR- EFF1016

Testing for Compliance

Report Date: 02/03/2019
Report Expiry: 02/03/2020

Source RFID: 1A401030000F105000001015

Test RFID: 1A401030000F105000001016

Quality Control Results

Potency Analysis

Test Method: SOP-002 by LC/MS/MS

Blank: MBLK-PO020119		Date analyzed: 02/01/2019
Analyte	Result, %	LOQ, %
THCV	< LOQ	0.1
CBD	< LOQ	0.1
CBG	< LOQ	0.1
CBDA	< LOQ	0.1
CBN	< LOQ	0.1
Delta-9 THC	< LOQ	0.1
Delta-8 THC	< LOQ	0.1
CBC	< LOQ	0.1
THCA	< LOQ	0.1

LCS: LCS-PO020119		Date analyzed: 02/01/2019
Analyte	% Recovery	% Recovery Criteria
THCV	77	70-130
CBD	98	70-130
CBG	93	70-130
CBDA	116	70-130
CBN	92	70-130
Delta-9 THC	97	70-130
Delta-8 THC	95	70-130
CBC	117	70-130
THCA	92	70-130

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.
These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF1016

Report ID: TR- EFF1016

Testing for Compliance

Report Date: 02/03/2019

Report Expiry: 02/03/2020

Test RFID: 1A401030000F105000001016

Quality Control Results

Pesticides Analysis (Unit: ppm)

Testing method: SOP-010 by LC/MS/MS

Blank: MBLK-PE020219		Date analyzed: 02/02/2019	
Analyte	Result	LOQ	State Action Level
Abamectin	< LOQ	0.25	0.5
Acephate	< LOQ	0.20	0.4
Acequinocyl	< LOQ	1.00	2.0
Acetamiprid	< LOQ	0.10	0.2
Aldicarb	< LOQ	0.20	0.4
Azoxystrobin	< LOQ	0.10	0.2
Bifenazate	< LOQ	0.10	0.2
Bifenthrin	< LOQ	0.10	0.2
Boscalid	< LOQ	0.20	0.4
Carbaryl	< LOQ	0.10	0.2
Carbofuran	< LOQ	0.10	0.2
Chloranthraniliprole	< LOQ	0.10	0.2
Chlorfenapyr	< LOQ	1.00	1.0
Chlorpyrifos	< LOQ	0.10	0.2
Clofentezine	< LOQ	0.10	0.2
Cyfluthrin	< LOQ	0.50	1.0
Cypermethrin	< LOQ	0.50	1.0
Daminozide	< LOQ	0.50	1.0
DDVP (Dichlorvos)	< LOQ	0.50	1.0
Diazinon	< LOQ	0.10	0.2
Dimethoate	< LOQ	0.10	0.2
Ethoprophos	< LOQ	0.10	0.2
Etofenprox	< LOQ	0.20	0.4
Etoxazole	< LOQ	0.10	0.2
Fenoxycarb	< LOQ	0.10	0.2
Fenpyroximate	< LOQ	0.20	0.4

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF1016

Report ID: TR- EFF1016

Testing for Compliance

Report Date: 02/03/2019

Report Expiry: 02/03/2020

Test RFID: 1A401030000F105000001016

Fipronil	< LOQ	0.20	0.4
Flonicamid	< LOQ	0.50	1.0
Fludioxonil	< LOQ	0.20	0.4
Hexythiazox	< LOQ	0.50	1.0
Imazalil	< LOQ	0.10	0.2
Imidacloprid	< LOQ	0.20	0.4
Kresoxim-Methyl	< LOQ	0.20	0.4
Malathion	< LOQ	0.10	0.2
Metalaxyl	< LOQ	0.10	0.2
Methiocarb	< LOQ	0.10	0.2
Methomyl	< LOQ	0.20	0.4
Methyl_Parathion	< LOQ	0.20	0.2
MGK-264	< LOQ	0.10	0.2
Myclobutanil	< LOQ	0.10	0.2
NALED (Dibrom)	< LOQ	0.25	0.5
Oxamyl	< LOQ	0.50	1.0
Paclobutrazol	< LOQ	0.20	0.4
Permethrins	< LOQ	0.10	0.2
Phosmet	< LOQ	0.10	0.2
Piperonyl_Butoxide	< LOQ	1.00	2.0
Prallethrin	< LOQ	0.10	0.2
Propiconazole	< LOQ	0.20	0.4
Propoxur	< LOQ	0.10	0.2
Pyrethrin	< LOQ	0.50	1.0
Pyridaben	< LOQ	0.10	0.2
Spinosad	< LOQ	0.10	0.2
Spiromesifen	< LOQ	0.10	0.2
Spirotetramat	< LOQ	0.10	0.2
Spiroxamine	< LOQ	0.20	0.4
Tebuconazole	< LOQ	0.20	0.4
Thiacloprid	< LOQ	0.10	0.2
Thiamethoxam	< LOQ	0.10	0.2
Trifloxystrobin	< LOQ	0.10	0.2

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF1016
Report ID: TR- EFF1016

Testing for Compliance

Report Date: 02/03/2019
Report Expiry: 02/03/2020

Source RFID: 1A401030000F105000001015

Test RFID: 1A401030000F105000001016

LCS: LCS-PE020219		Date analyzed: 02/02/2019		
Analyte	% Recovery	% Recovery Criteria	LOQ	State Action Level
Abamectin	48	10-190	0.25	0.5
Acephate	102	30-170	0.20	0.4
Acequinocyl	65	10-190	1.00	2.0
Acetamiprid	126	30-170	0.10	0.2
Aldicarb	40	30-170	0.20	0.4
Azoxystrobin	64	30-170	0.10	0.2
Bifenazate	55	10-190	0.10	0.2
Bifenthrin	71	30-170	0.10	0.2
Boscalid	141	30-170	0.20	0.4
Carbaryl	95	30-170	0.10	0.2
Carbofuran	127	30-170	0.10	0.2
Chloranthraniliprole	69	30-170	0.10	0.2
Chlorfenapyr	59	10-190	1.00	1.0
Chlorpyrifos	109	30-170	0.10	0.2
Clofentezine	136	30-170	0.10	0.2
Cyfluthrin	126	30-170	0.50	1.0
Cypermethrin	84	30-170	0.50	1.0
Daminozide	91	30-170	0.50	1.0
DDVP (Dichlorvos)	44	30-170	0.50	1.0
Diazinon	76	30-170	0.10	0.2
Dimethoate	92	30-170	0.10	0.2
Ethoprophos	80	30-170	0.10	0.2
Etofenprox	44	30-170	0.20	0.4
Etoxazole	82	30-170	0.10	0.2
Fenoxycarb	84	30-170	0.10	0.2
Fenpyroximate	84	30-170	0.20	0.4
Fipronil	100	10-190	0.20	0.4
Flonicamid	110	10-190	0.50	1.0
Fludioxonil	68	10-190	0.20	0.4
Hexythiazox	105	10-190	0.50	1.0
Imazalil	111	30-170	0.10	0.2
Imidacloprid	119	30-170	0.20	0.4

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.
These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF1016

Report ID: TR- EFF1016

Testing for Compliance

Report Date: 02/03/2019

Report Expiry: 02/03/2020

Test RFID: 1A401030000F105000001016

Kresoxim-Methyl	51	30-170	0.20	0.4
Malathion	61	30-170	0.10	0.2
Metalaxyl	77	30-170	0.10	0.2
Methiocarb	93	30-170	0.10	0.2
Methomyl	40	30-170	0.20	0.4
Methyl_Parathion	126	10-190	0.20	0.2
MGK-264	89	10-190	0.10	0.2
Myclobutanil	99	30-170	0.10	0.2
NALED (Dibrom)	134	30-170	0.25	0.5
Oxamyl	41	10-190	0.50	1.0
Paclobutrazol	133	30-170	0.20	0.4
Permethrins	37	30-170	0.10	0.2
Phosmet	94	30-170	0.10	0.2
Piperonyl_Butoxide	47	30-170	1.00	2.0
Prallethrin	77	30-170	0.10	0.2
Propiconazole	92	30-170	0.20	0.4
Propoxur	80	30-170	0.10	0.2
Pyrethrin	86	30-170	0.50	1.0
Pyridaben	87	30-170	0.10	0.2
Spinosad	90	10-190	0.10	0.2
Spiromesifen	53	30-170	0.10	0.2
Spirotetramat	84	30-170	0.10	0.2
Spiroxamine	108	30-170	0.20	0.4
Tebuconazole	139	30-170	0.20	0.4
Thiacloprid	133	30-170	0.10	0.2
Thiamethoxam	115	30-170	0.10	0.2
Trifloxystrobin	47	30-170	0.10	0.2

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF1016
Report ID: TR- EFF1016

Testing for Compliance

Report Date: 02/03/2019
Report Expiry: 02/03/2020

Source RFID: 1A401030000F105000001015

Test RFID: 1A401030000F105000001016

Attachments:

Note: if answer is Yes for following items, statement is attached. Otherwise, no attachment.

<u>Deviation occurred in test?</u> Answer: No	<u>Opinion and interpretation provided?</u> Answer: No
--	---

Comments: "N/A" if there is no comment made
N/A

Shuguo Ma, Ph.D, Quality Manager

Signature:



Date:

03Feb2019

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.
These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.