

Certificate of Analysis

Sample ID: EFF5314

Report ID: TR-EFF5314

Testing for Compliance

Report Date: 12/07/2020

Test RFID: 1A401030000F105000005314

Client Name:

Epic Family Farms

License No:

020-10041847FC2

Date Sampled: 12/02/2020**Sampled by:** Wendy Wen**Sample Name:** Deadhead OG (Buds)**Sample Type:** Usable marijuana**Harvest Time:** 10/13/2020**Sample Weight:** 34.39 g**Description of the sample, sampling condition.
Environmental conditions that may impact
interpretation of the test result:**Dry usable marijuana. Sample appeared normal.
There were no any environmental conditions that
may impact interpretation of the test result.**Summary of Test Results**

Items	Value	Pass/Fail
Total THC:	22.2%	N/A
Total CBD:	0.6%	N/A
Water Activity:	0.566 at 24.3 °C	Pass
Moisture Content:	11.1%	Pass
Pesticides:	< LOQ	Pass

State limit for water activity is 0.65 and 15% for moisture content.

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF5314

Report ID: TR-EFF5314

Testing for Compliance

Report Date: 12/07/2020

Test RFID: 1A401030000F105000005314

Moisture Content Analysis

Testing method: SOP-004

Analyzed by: Yujing Wen

Analyzed date: 12/03/2020

Batch ID: MC120320

Analyte	Result
Water	11.1%

Water Activity Analysis

Testing method: SOP-009

Analyzed by: Yujing Wen

Analyzed date: 12/03/2020

Batch ID: WA120320

Analyte	Result	Temperature
Water Activity	0.566	24.3 °C

Potency Analysis

Testing method: SOP-002

Analyzed by: Yujing Wen

Analyzed date: 12/03/2020

Batch ID: PO120320

Analyte	Result, %	LOQ, %
THCV	< LOQ	0.1
CBD	< LOQ	0.1
CBG	< LOQ	0.1
CBDA	0.7	0.1
CBN	< LOQ	0.1
Delta-9 THC	0.8	0.1
Delta-8 THC	< LOQ	0.1
CBC	< LOQ	0.1
THCA	24.4	0.1
Total THC: $\Delta 9 + 0.877 \times \text{THCA}$	22.2	N/A
Total CBD: $\text{CBD} + 0.877 \times \text{CBDA}$	0.6	N/A
Total Cannabinoids:	25.9	N/A

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF5314

Report ID: TR-EFF5314

Testing for Compliance

Report Date: 12/07/2020

Test RFID: 1A401030000F105000005314

Pesticides Analysis (Unit: ppm)

Testing method: SOP-010

Analyzed by: Yujing Wen

Analyzed date: 12/03/2020

Batch ID: PE120320

Analyte	Result	LOQ	State Action Level
Abamectin	< LOQ	0.25	0.5
Acephate	< LOQ	0.20	0.4
Acequinocyl	< LOQ	1.00	2.0
Acetamiprid	< LOQ	0.10	0.2
Aldicarb	< LOQ	0.20	0.4
Azoxystrobin	< LOQ	0.10	0.2
Bifenazate	< LOQ	0.10	0.2
Bifenthrin	< LOQ	0.10	0.2
Boscalid	< LOQ	0.20	0.4
Carbaryl	< LOQ	0.10	0.2
Carbofuran	< LOQ	0.10	0.2
Chloranthraniliprole	< LOQ	0.10	0.2
Chlorfenapyr	< LOQ	1.00	1.0
Chlorpyrifos	< LOQ	0.10	0.2
Clofentezine	< LOQ	0.10	0.2
Cyfluthrin	< LOQ	0.50	1.0
Cypermethrin	< LOQ	0.50	1.0
Daminozide	< LOQ	0.50	1.0
DDVP (Dichlorvos)	< LOQ	0.50	1.0
Diazinon	< LOQ	0.10	0.2
Dimethoate	< LOQ	0.10	0.2
Ethoprophos	< LOQ	0.10	0.2
Etofenprox	< LOQ	0.20	0.4
Etoxazole	< LOQ	0.10	0.2
Fenoxycarb	< LOQ	0.10	0.2
Fenpyroximate	< LOQ	0.20	0.4
Fipronil	< LOQ	0.20	0.4
Flonicamid	< LOQ	0.50	1.0
Fludioxonil	< LOQ	0.20	0.4
Hexythiazox	< LOQ	0.50	1.0

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF5314

Report ID: TR-EFF5314

Testing for Compliance

Report Date: 12/07/2020

Test RFID: 1A401030000F105000005314

Imazalil	< LOQ	0.10	0.2
Imidacloprid	< LOQ	0.20	0.4
Kresoxim-Methyl	< LOQ	0.20	0.4
Malathion	< LOQ	0.10	0.2
Metalaxyl	< LOQ	0.10	0.2
Methiocarb	< LOQ	0.10	0.2
Methomyl	< LOQ	0.20	0.4
Methyl_Parathion	< LOQ	0.20	0.2
MGK-264	< LOQ	0.10	0.2
Myclobutanil	< LOQ	0.10	0.2
NALED (Dibrom)	< LOQ	0.25	0.5
Oxamyl	< LOQ	0.50	1.0
Paclobutrazol	< LOQ	0.20	0.4
Permethrins	< LOQ	0.10	0.2
Phosmet	< LOQ	0.10	0.2
Piperonyl_Butoxide	< LOQ	1.00	2.0
Prallethrin	< LOQ	0.10	0.2
Propiconazole	< LOQ	0.20	0.4
Propoxur	< LOQ	0.10	0.2
Pyrethrin	< LOQ	0.50	1.0
Pyridaben	< LOQ	0.10	0.2
Spinosad	< LOQ	0.10	0.2
Spiromesifen	< LOQ	0.10	0.2
Spirotetramat	< LOQ	0.10	0.2
Spiroxamine	< LOQ	0.20	0.4
Tebuconazole	< LOQ	0.20	0.4
Thiacloprid	< LOQ	0.10	0.2
Thiamethoxam	< LOQ	0.10	0.2
Trifloxystrobin	< LOQ	0.10	0.2

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF5314

Report ID: TR-EFF5314

Testing for Compliance

Report Date: 12/07/2020

Test RFID: 1A401030000F105000005314

Quality Control Results**Potency Analysis****Test Method:** SOP-002 by LC/MS/MS

Blank: MBLK-PO120320		Date analyzed: 12/03/2020
Analyte	Result, %	LOQ, %
THCV	< LOQ	0.1
CBD	< LOQ	0.1
CBG	< LOQ	0.1
CBDA	< LOQ	0.1
CBN	< LOQ	0.1
Delta-9 THC	< LOQ	0.1
Delta-8 THC	< LOQ	0.1
CBC	< LOQ	0.1
THCA	< LOQ	0.1

LCS: LCS- PO120320		Date analyzed: 12/03/2020
Analyte	% Recovery	% Recovery Criteria
THCV	81	70-130
CBD	95	70-130
CBG	99	70-130
CBDA	100	70-130
CBN	102	70-130
Delta-9 THC	88	70-130
Delta-8 THC	93	70-130
CBC	103	70-130
THCA	107	70-130

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF5314

Report ID: TR-EFF5314

Testing for Compliance

Report Date: 12/07/2020

Test RFID: 1A401030000F105000005314

Quality Control Results

Pesticide Analysis (Unit: ppm)

Testing method: SOP-010 by LC/MS/MS

Blank: MBLK-PE120320		Date analyzed: 12/03/2020	
Analyte	Result	LOQ	State Action Level
Abamectin	< LOQ	0.25	0.5
Acephate	< LOQ	0.20	0.4
Acequinocyl	< LOQ	1.00	2.0
Acetamiprid	< LOQ	0.10	0.2
Aldicarb	< LOQ	0.20	0.4
Azoxystrobin	< LOQ	0.10	0.2
Bifenazate	< LOQ	0.10	0.2
Bifenthrin	< LOQ	0.10	0.2
Boscalid	< LOQ	0.20	0.4
Carbaryl	< LOQ	0.10	0.2
Carbofuran	< LOQ	0.10	0.2
Chloranthraniliprole	< LOQ	0.10	0.2
Chlorfenapyr	< LOQ	1.00	1.0
Chlorpyrifos	< LOQ	0.10	0.2
Clofentezine	< LOQ	0.10	0.2
Cyfluthrin	< LOQ	0.50	1.0
Cypermethrin	< LOQ	0.50	1.0
Daminozide	< LOQ	0.50	1.0
DDVP (Dichlorvos)	< LOQ	0.50	1.0
Diazinon	< LOQ	0.10	0.2
Dimethoate	< LOQ	0.10	0.2
Ethoprophos	< LOQ	0.10	0.2
Etofenprox	< LOQ	0.20	0.4
Etoxazole	< LOQ	0.10	0.2
Fenoxycarb	< LOQ	0.10	0.2
Fenpyroximate	< LOQ	0.20	0.4

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF5314

Report ID: TR-EFF5314

Testing for Compliance

Report Date: 12/07/2020

Test RFID: 1A401030000F105000005314

Fipronil	< LOQ	0.20	0.4
Flonicamid	< LOQ	0.50	1.0
Fludioxonil	< LOQ	0.20	0.4
Hexythiazox	< LOQ	0.50	1.0
Imazalil	< LOQ	0.10	0.2
Imidacloprid	< LOQ	0.20	0.4
Kresoxim-Methyl	< LOQ	0.20	0.4
Malathion	< LOQ	0.10	0.2
Metalaxyl	< LOQ	0.10	0.2
Methiocarb	< LOQ	0.10	0.2
Methomyl	< LOQ	0.20	0.4
Methyl_Parathion	< LOQ	0.20	0.2
MGK-264	< LOQ	0.10	0.2
Myclobutanil	< LOQ	0.10	0.2
NALED (Dibrom)	< LOQ	0.25	0.5
Oxamyl	< LOQ	0.50	1.0
Paclobutrazol	< LOQ	0.20	0.4
Permethrins	< LOQ	0.10	0.2
Phosmet	< LOQ	0.10	0.2
Piperonyl_Butoxide	< LOQ	1.00	2.0
Prallethrin	< LOQ	0.10	0.2
Propiconazole	< LOQ	0.20	0.4
Propoxur	< LOQ	0.10	0.2
Pyrethrin	< LOQ	0.50	1.0
Pyridaben	< LOQ	0.10	0.2
Spinosad	< LOQ	0.10	0.2
Spiromesifen	< LOQ	0.10	0.2
Spirotetramat	< LOQ	0.10	0.2
Spiroxamine	< LOQ	0.20	0.4
Tebuconazole	< LOQ	0.20	0.4
Thiacloprid	< LOQ	0.10	0.2
Thiamethoxam	< LOQ	0.10	0.2
Trifloxystrobin	< LOQ	0.10	0.2

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF5314

Report ID: TR-EFF5314

Testing for Compliance

Report Date: 12/07/2020

Test RFID: 1A401030000F105000005314

LCS: LCS-PE120320			Date analyzed: 12/03/2020	
Analyte	% Recovery	% Recovery Criteria	LOQ	State Action Level
Abamectin	41	10-190	0.25	0.5
Acephate	128	30-170	0.20	0.4
Acequinocyl	112	10-190	1.00	2.0
Acetamiprid	69	30-170	0.10	0.2
Aldicarb	104	30-170	0.20	0.4
Azoxystrobin	74	30-170	0.10	0.2
Bifenazate	88	10-190	0.10	0.2
Bifenthrin	125	30-170	0.10	0.2
Boscalid	73	30-170	0.20	0.4
Carbaryl	79	30-170	0.10	0.2
Carbofuran	107	30-170	0.10	0.2
Chloranthraniliprole	83	30-170	0.10	0.2
Chlorfenapyr	102	10-190	1.00	1.0
Chlorpyrifos	91	30-170	0.10	0.2
Clofentezine	148	30-170	0.10	0.2
Cyfluthrin	86	30-170	0.50	1.0
Cypermethrin	111	30-170	0.50	1.0
Daminozide	115	30-170	0.50	1.0
DDVP (Dichlorvos)	80	30-170	0.50	1.0
Diazinon	77	30-170	0.10	0.2
Dimethoate	133	30-170	0.10	0.2
Ethoprophos	79	30-170	0.10	0.2
Etofenprox	52	30-170	0.20	0.4
Etoxazole	68	30-170	0.10	0.2
Fenoxycarb	82	30-170	0.10	0.2
Fenpyroximate	52	30-170	0.20	0.4
Fipronil	99	10-190	0.20	0.4
Flonicamid	110	10-190	0.50	1.0
Fludioxonil	80	10-190	0.20	0.4
Hexythiazox	88	30-170	0.50	1.0
Imazalil	67	30-170	0.10	0.2
Imidacloprid	74	30-170	0.20	0.4

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF5314

Report ID: TR-EFF5314

Testing for Compliance

Report Date: 12/07/2020

Test RFID: 1A401030000F105000005314

Kresoxim-Methyl	54	30-170	0.20	0.4
Malathion	64	30-170	0.10	0.2
Metalaxyl	87	30-170	0.10	0.2
Methiocarb	72	30-170	0.10	0.2
Methomyl	116	30-170	0.20	0.4
Methyl Parathion	72	10-190	0.20	0.2
MGK-264	90	10-190	0.10	0.2
Myclobutanil	97	30-170	0.10	0.2
NALED (Dibrom)	130	30-170	0.25	0.5
Oxamyl	112	10-190	0.50	1.0
Paclobutrazol	94	30-170	0.20	0.4
Permethrins	74	30-170	0.10	0.2
Phosmet	75	30-170	0.10	0.2
Piperonyl_Butoxide	42	30-170	1.00	2.0
Prallethrin	74	30-170	0.10	0.2
Propiconazole	96	30-170	0.20	0.4
Propoxur	87	30-170	0.10	0.2
Pyrethrin	51	30-170	0.50	1.0
Pyridaben	69	30-170	0.10	0.2
Spinosad	138	10-190	0.10	0.2
Spiromesifen	51	30-170	0.10	0.2
Spirotetramat	87	30-170	0.10	0.2
Spiroxamine	74	30-170	0.20	0.4
Tebuconazole	95	30-170	0.20	0.4
Thiacloprid	72	30-170	0.10	0.2
Thiamethoxam	82	30-170	0.10	0.2
Trifloxystrobin	46	30-170	0.10	0.2

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF5314

Report ID: TR-EFF5314

Testing for Compliance

Report Date: 12/07/2020

Test RFID: 1A401030000F105000005314

Attachments:

Note: if answer is Yes for following items, statement is attached. Otherwise, no attachment.

Deviation occurred in test?	Opinion and interpretation provided?
Answer:	Answer:
No	No

Comments: "N/A" if there is no comment made

N/A

Shuguo Ma, Ph.D, Quality Manager

Signature:



Date:

07Dec2020

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.