

Certificate of Analysis

Sample ID: EF2808

Report ID: TR-EF2808

Testing for Compliance

Report Date: 05/06/2018

Report Expiry: 05/06/2019

Test RFID: 1A401030000F105000002808

Client Name:

Epic Family Farms

License No:

020-10041847FC2

Date Sampled: 05/04/2018**Sampled by:** Yujing Wen**Sample Name:** Koala (buds)**Sample Type:** Usable marijuana**Sample Weight:** 35.08 g**Description of the sample, sampling condition.
Environmental conditions that may impact
interpretation of the test result:**Dry usable marijuana. Sample appeared normal.
There were no any environmental conditions that
may impact interpretation of the test result.**Summary of Test Results**

Items	Value	Pass/Fail
Total THC:	27.1%	N/A
Total CBD:	< LOQ	N/A
Water Activity:	0.446 at 22.3 °C	Pass
Moisture Content:	11.4% 	N/A
Pesticides:	< LOQ	Pass

State limit for water activity is 0.65.

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EF2808

Report ID: TR-EF2808

Testing for Compliance

Report Date: 05/06/2018

Report Expiry: 05/06/2019

Test RFID: 1A401030000F105000002808

Moisture Content Analysis

Testing method: SOP-004

Analyzed by: Yujing Wen

Analyzed date: 05/05/2018

Batch ID: MC0050518

Analyte	Result
Water	11.4%

Water Activity Analysis

Testing method: SOP-009

Analyzed by: Yujing Wen

Analyzed date: 05/05/2018

Batch ID: WA050518

Analyte	Result	Temperature
Water Activity	0.446	22.3°C

Potency Analysis

Testing method: SOP-002


Analyzed by: Yujing Wen

Analyzed date: 05/04/2018

Batch ID: PO050418

Analyte	Result, %	LOQ, %
THCV	< LOQ	0.1
CBD	< LOQ	0.1
CBG	0.1	0.1
CBDA	< LOQ	0.1
CBN	< LOQ	0.1
Delta-9 THC	3.3	0.1
CBC	< LOQ	0.1
THCA	27.1	0.1
Total THC: $\Delta 9 + 0.877 \times \text{THCA}$	27.1	N/A
Total CBD: $\text{CBD} + 0.877 \times \text{CBDA}$	< LOQ	N/A
Total Cannabinoids:	30.6	N/A

Cannabinoids Profile



LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EF2808

Report ID: TR-EF2808

Testing for Compliance

Report Date: 05/06/2018

Report Expiry: 05/06/2019

Test RFID: 1A401030000F105000002808

Pesticides Analysis (Unit: ppm)

Testing method: SOP-010

Analyzed by: Yujing Wen

Analyzed date: 05/05/2018

Batch ID: PE050518

Analyte	Result	LOQ	State Action Level
Abamectin	< LOQ	0.25	0.5
Acephate	< LOQ	0.20	0.4
Acequinocyl	< LOQ	1.00	2.0
Acetamiprid	< LOQ	0.10	0.2
Aldicarb	< LOQ	0.20	0.4
Azoxystrobin	< LOQ	0.10	0.2
Bifenazate	< LOQ	0.10	0.2
Bifenthrin	< LOQ	0.10	0.2
Boscalid	< LOQ	0.20	0.4
Carbaryl	< LOQ	0.10	0.2
Carbofuran	< LOQ	0.10	0.2
Chloranthraniliprole	< LOQ	0.10	0.2
Chlorfenapyr	< LOQ	1.00	1.0
Chlorpyrifos	< LOQ	0.10	0.2
Clofentezine	< LOQ	0.10	0.2
Cyfluthrin	< LOQ	0.50	1.0
Cypermethrin	< LOQ	0.50	1.0
Daminozide	< LOQ	0.50	1.0
DDVP (Dichlorvos)	< LOQ	0.50	1.0
Diazinon	< LOQ	0.10	0.2
Dimethoate	< LOQ	0.10	0.2
Ethoprophos	< LOQ	0.10	0.2
Etofenprox	< LOQ	0.20	0.4
Etoxazole	< LOQ	0.10	0.2
Fenoxycarb	< LOQ	0.10	0.2
Fenpyroximate	< LOQ	0.20	0.4
Fipronil	< LOQ	0.20	0.4
Flonicamid	< LOQ	0.50	1.0
Fludioxonil	< LOQ	0.20	0.4

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EF2808

Report ID: TR-EF2808

Testing for Compliance

Report Date: 05/06/2018

Report Expiry: 05/06/2019

Test RFID: 1A401030000F105000002808

Hexythiazox	< LOQ	0.50	1.0
Imazalil	< LOQ	0.10	0.2
Imidacloprid	< LOQ	0.20	0.4
Kresoxim-Methyl	< LOQ	0.20	0.4
Malathion	< LOQ	0.10	0.2
Metalaxyl	< LOQ	0.10	0.2
Methiocarb	< LOQ	0.10	0.2
Methomyl	< LOQ	0.20	0.4
Methyl_Parathion	< LOQ	0.20	0.2
MGK-264	< LOQ	0.10	0.2
Myclobutanil	< LOQ	0.10	0.2
NALED (Dibrom)	< LOQ	0.25	0.5
Oxamyl	< LOQ	0.50	1.0
Paclobutrazol	< LOQ	0.20	0.4
Permethrins	< LOQ	0.10	0.2
Phosmet	< LOQ	0.10	0.2
Piperonyl_Butoxide	< LOQ	1.00	2.0
Prallethrin	< LOQ	0.10	0.2
Propiconazole	< LOQ	0.20	0.4
Propoxur	< LOQ	0.10	0.2
Pyrethrin	< LOQ	0.50	1.0
Pyridaben	< LOQ	0.10	0.2
Spinosad	< LOQ	0.10	0.2
Spiromesifen	< LOQ	0.10	0.2
Spirotetramat	< LOQ	0.10	0.2
Spiroxamine	< LOQ	0.20	0.4
Tebuconazole	< LOQ	0.20	0.4
Thiacloprid	< LOQ	0.10	0.2
Thiamethoxam	< LOQ	0.10	0.2
Trifloxystrobin	< LOQ	0.10	0.2

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EF2808

Report ID: TR-EF2808

Testing for Compliance

Report Date: 05/06/2018

Report Expiry: 05/06/2019

Test RFID: 1A401030000F105000002808

Quality Control Results**Potency Analysis****Test Method:** SOP-002 by LC/MS/MS

Blank: MBLKPO050418		Date analyzed: 05/04/2018
Analyte	Result, %	LOQ, %
THCV	< LOQ	0.1
CBD	< LOQ	0.1
CBG	< LOQ	0.1
CBDA	< LOQ	0.1
CBN	< LOQ	0.1
Delta-9 THC	< LOQ	0.1
CBC	< LOQ	0.1
THCA	< LOQ	0.1

LCS: LCSP0050418		Date analyzed: 05/04/2018
Analyte	% Recovery	% Recovery Criteria
THCV	97	70-130
CBD	103	70-130
CBG	96	70-130
CBDA	99	70-130
CBN	107	70-130
Delta-9 THC	105	70-130
CBC	114	70-130
THCA	104	70-130

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EF2808

Report ID: TR-EF2808

Testing for Compliance

Report Date: 05/06/2018

Report Expiry: 05/06/2019

Test RFID: 1A401030000F105000002808

Quality Control Results

Pesticides Analysis (Unit: ppm)

Testing method: SOP-010 by LC/MS/MS

Blank: MBLK		Date analyzed: 05/05/2018	
Analyte	Result	LOQ	State Action Level
Abamectin	< LOQ	0.25	0.5
Acephate	< LOQ	0.20	0.4
Acequinocyl	< LOQ	1.00	2.0
Acetamiprid	< LOQ	0.10	0.2
Aldicarb	< LOQ	0.20	0.4
Azoxystrobin	< LOQ	0.10	0.2
Bifenazate	< LOQ	0.10	0.2
Bifenthrin	< LOQ	0.10	0.2
Boscalid	< LOQ	0.20	0.4
Carbaryl	< LOQ	0.10	0.2
Carbofuran	< LOQ	0.10	0.2
Chloranthraniliprole	< LOQ	0.10	0.2
Chlorfenapyr	< LOQ	1.00	1.0
Chlorpyrifos	< LOQ	0.10	0.2
Clofentezine	< LOQ	0.10	0.2
Cyfluthrin	< LOQ	0.50	1.0
Cypermethrin	< LOQ	0.50	1.0
Daminozide	< LOQ	0.50	1.0
DDVP (Dichlorvos)	< LOQ	0.50	1.0
Diazinon	< LOQ	0.10	0.2
Dimethoate	< LOQ	0.10	0.2
Ethoprophos	< LOQ	0.10	0.2
Etofenprox	< LOQ	0.20	0.4
Etoxazole	< LOQ	0.10	0.2
Fenoxycarb	< LOQ	0.10	0.2
Fenpyroximate	< LOQ	0.20	0.4

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EF2808

Report ID: TR-EF2808

Testing for Compliance

Report Date: 05/06/2018

Report Expiry: 05/06/2019

Test RFID: 1A401030000F105000002808

Fipronil	< LOQ	0.20	0.4
Flonicamid	< LOQ	0.50	1.0
Fludioxonil	< LOQ	0.20	0.4
Hexythiazox	< LOQ	0.50	1.0
Imazalil	< LOQ	0.10	0.2
Imidacloprid	< LOQ	0.20	0.4
Kresoxim-Methyl	< LOQ	0.20	0.4
Malathion	< LOQ	0.10	0.2
Metalaxyl	< LOQ	0.10	0.2
Methiocarb	< LOQ	0.10	0.2
Methomyl	< LOQ	0.20	0.4
Methyl_Parathion	< LOQ	0.20	0.2
MGK-264	< LOQ	0.10	0.2
Myclobutanil	< LOQ	0.10	0.2
NALED (Dibrom)	< LOQ	0.25	0.5
Oxamyl	< LOQ	0.50	1.0
Paclobutrazol	< LOQ	0.20	0.4
Permethrins	< LOQ	0.10	0.2
Phosmet	< LOQ	0.10	0.2
Piperonyl_Butoxide	< LOQ	1.00	2.0
Prallethrin	< LOQ	0.10	0.2
Propiconazole	< LOQ	0.20	0.4
Propoxur	< LOQ	0.10	0.2
Pyrethrin	< LOQ	0.50	1.0
Pyridaben	< LOQ	0.10	0.2
Spinosad	< LOQ	0.10	0.2
Spiromesifen	< LOQ	0.10	0.2
Spirotetramat	< LOQ	0.10	0.2
Spiroxamine	< LOQ	0.20	0.4
Tebuconazole	< LOQ	0.20	0.4
Thiacloprid	< LOQ	0.10	0.2
Thiamethoxam	< LOQ	0.10	0.2
Trifloxystrobin	< LOQ	0.10	0.2

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EF2808

Report ID: TR-EF2808

Testing for Compliance

Report Date: 05/06/2018

Report Expiry: 05/06/2019

Test RFID: 1A401030000F105000002808

LCS: LCS		Date analyzed: 05/05/2018		
Analyte	% Recovery	% Recovery Criteria	LOQ	State Action Level
Abamectin	91	10-190	0.25	0.5
Acephate	95	50-150	0.20	0.4
Acequinocyl	104	50-150	1.00	2.0
Acetamiprid	110	50-150	0.10	0.2
Aldicarb	85	50-150	0.20	0.4
Azoxystrobin	95	50-150	0.10	0.2
Bifenazate	90	10-190	0.10	0.2
Bifenthrin	91	50-150	0.10	0.2
Boscalid	91	50-150	0.20	0.4
Carbaryl	103	50-150	0.10	0.2
Carbofuran	97	50-150	0.10	0.2
Chloranthraniliprole	84	50-150	0.10	0.2
Chlorfenapyr	90	10-190	1.00	1.0
Chlorpyrifos	113	50-150	0.10	0.2
Clofentezine	98	50-150	0.10	0.2
Cyfluthrin	99	50-150	0.50	1.0
Cypermethrin	98	50-150	0.50	1.0
Daminozide	95	50-150	0.50	1.0
DDVP (Dichlorvos)	96	50-150	0.50	1.0
Diazinon	98	50-150	0.10	0.2
Dimethoate	95	50-150	0.10	0.2
Ethoprophos	107	50-150	0.10	0.2
Etofenprox	103	50-150	0.20	0.4
Etoxazole	96	50-150	0.10	0.2
Fenoxycarb	95	50-150	0.10	0.2
Fenpyroximate	99	50-150	0.20	0.4
Fipronil	105	50-150	0.20	0.4
Flonicamid	121	50-150	0.50	1.0
Fludioxonil	92	50-150	0.20	0.4
Hexythiazox	96	50-150	0.50	1.0
Imazalil	100	50-150	0.10	0.2
Imidacloprid	99	50-150	0.20	0.4

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EF2808

Report ID: TR-EF2808

Testing for Compliance

Report Date: 05/06/2018

Report Expiry: 05/06/2019

Test RFID: 1A401030000F105000002808

Kresoxim-Methyl	86	50-150	0.20	0.4
Malathion	84	50-150	0.10	0.2
Metalaxyl	99	50-150	0.10	0.2
Methiocarb	109	50-150	0.10	0.2
Methomyl	92	50-150	0.20	0.4
Methyl_Parathion	112	10-190	0.20	0.2
MGK-264	113	50-150	0.10	0.2
Myclobutanil	84	50-150	0.10	0.2
NALED (Dibrom)	95	50-150	0.25	0.5
Oxamyl	117	50-150	0.50	1.0
Paclobutrazol	92	50-150	0.20	0.4
Permethrins	105	50-150	0.10	0.2
Phosmet	105	50-150	0.10	0.2
Piperonyl_Butoxide	84	50-150	1.00	2.0
Prallethrin	99	50-150	0.10	0.2
Propiconazole	105	50-150	0.20	0.4
Propoxur	89	50-150	0.10	0.2
Pyrethrin	106	50-150	0.50	1.0
Pyridaben	95	50-150	0.10	0.2
Spinosad	100	50-150	0.10	0.2
Spiromesifen	96	50-150	0.10	0.2
Spirotetramat	107	50-150	0.10	0.2
Spiroxamine	101	50-150	0.20	0.4
Tebuconazole	89	50-150	0.20	0.4
Thiacloprid	106	50-150	0.10	0.2
Thiamethoxam	97	50-150	0.10	0.2
Trifloxystrobin	91	50-150	0.10	0.2

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EF2808

Report ID: TR-EF2808

Testing for Compliance

Report Date: 05/06/2018

Report Expiry: 05/06/2019

Test RFID: 1A401030000F105000002808

Attachments:**Note:** if answer is Yes for following items, statement is attached. Otherwise, no attachment.

<u>Deviation occurred in test?</u> Answer: No	<u>Opinion and interpretation provided?</u> Answer: No
--	---

Comments: "N/A" if there is no comment made

N/A

Shuguo Ma, Ph.D, Quality Manager

Signature:



Date:

06May2018

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.