

Certificate of AnalysisSample ID: EFF1254
Report ID: TR- EFF1254**Testing for Compliance**

Report Date: 03/24/2019

Source RFID: 1A401030000F105000001253

Test RFID: 1A401030000F105000001254

Client Name:
Epic Family Farms**License No:**
020-10041847FC2

Date Sampled:	03/19/2019	Description of the sample, sampling condition. Environmental conditions that may impact interpretation of the test result: Dry usable marijuana. Sample appeared normal. There were no any environmental conditions that may impact interpretation of the test result.
Sampled by:	Yujing Wen	
Sample Name:	Jack the Ripper (buds)	
Sample Type:	Usable marijuana	
Harvest Time:	10/04/2018	
Sample Weight:	23.88 g	

Summary of Test Results

Items	Value	Pass/Fail
Total THC:	24.7%	N/A
Total CBD:	< LOQ	N/A
Water Activity:	0.363 at 20.9 °C	Pass
Moisture Content:	8.5%	Pass
Pesticides:	< LOQ	Pass

State limit is 0.65 for water activity and 15% for moisture content.

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.
These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF1254
Report ID: TR- EFF1254

Testing for Compliance

Report Date: 03/24/2019

Source RFID: 1A401030000F105000001253

Test RFID: 1A401030000F105000001254

Moisture Content Analysis

Testing method: SOP-004 Analyzed by: Yujing Wen Analyzed date: 03/22/2019

Batch ID: MC032219

Analyte	Result
Water	8.5%

Water Activity Analysis

Testing method: SOP-009 Analyzed by: Yujing Wen Analyzed date: 03/22/2019

Batch ID: WA032219

Analyte	Result	Temperature
Water Activity	0.363	20.9 °C


Potency Analysis

Testing method: SOP-002 Analyzed by: Yujing Wen Analyzed date: 03/23/2019

Batch ID: PO032319

Analyte	Result, %	LOQ, %
THCV	< LOQ	0.1
CBD	< LOQ	0.1
CBG	0.1	0.1
CBDA	< LOQ	0.1
CBN	< LOQ	0.1
Delta-9 THC	1.2	0.1
Delta-8 THC	< LOQ	0.1
CBC	< LOQ	0.1
THCA	26.8	0.1
Total THC: $\Delta 9 + 0.877 \times \text{THCA}$	24.7	N/A
Total CBD: $\text{CBD} + 0.877 \times \text{CBDA}$	< LOQ	N/A
Total Cannabinoids:	28.2	N/A

Cannabinoids Profile



LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF1254
Report ID: TR- EFF1254

Testing for Compliance

Report Date: 03/24/2019

Source RFID: 1A401030000F105000001253

Test RFID: 1A401030000F105000001254

Pesticides Analysis (Unit: ppm)

Testing method: SOP-010 Analyzed by: Yujing Wen Analyzed date: 03/20/2019

Batch ID: PE032019

Analyte	Result	LOQ	State Action Level
Abamectin	< LOQ	0.25	0.5
Acephate	< LOQ	0.20	0.4
Acequinocyl	< LOQ	1.00	2.0
Acetamiprid	< LOQ	0.10	0.2
Aldicarb	< LOQ	0.20	0.4
Azoxystrobin	< LOQ	0.10	0.2
Bifenazate	< LOQ	0.10	0.2
Bifenthrin	< LOQ	0.10	0.2
Boscalid	< LOQ	0.20	0.4
Carbaryl	< LOQ	0.10	0.2
Carbofuran	< LOQ	0.10	0.2
Chloranthraniliprole	< LOQ	0.10	0.2
Chlorfenapyr	< LOQ	1.00	1.0
Chlorpyrifos	< LOQ	0.10	0.2
Clofentezine	< LOQ	0.10	0.2
Cyfluthrin	< LOQ	0.50	1.0
Cypermethrin	< LOQ	0.50	1.0
Daminozide	< LOQ	0.50	1.0
DDVP (Dichlorvos)	< LOQ	0.50	1.0
Diazinon	< LOQ	0.10	0.2
Dimethoate	< LOQ	0.10	0.2
Ethoprophos	< LOQ	0.10	0.2
Etofenprox	< LOQ	0.20	0.4
Etoxazole	< LOQ	0.10	0.2
Fenoxycarb	< LOQ	0.10	0.2
Fenpyroximate	< LOQ	0.20	0.4
Fipronil	< LOQ	0.20	0.4
Flonicamid	< LOQ	0.50	1.0
Fludioxonil	< LOQ	0.20	0.4

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF1254

Report ID: TR- EFF1254

Testing for Compliance

Report Date: 03/24/2019

Test RFID: 1A401030000F105000001254

Hexythiazox	< LOQ	0.50	1.0
Imazalil	< LOQ	0.10	0.2
Imidacloprid	< LOQ	0.20	0.4
Kresoxim-Methyl	< LOQ	0.20	0.4
Malathion	< LOQ	0.10	0.2
Metalaxyl	< LOQ	0.10	0.2
Methiocarb	< LOQ	0.10	0.2
Methomyl	< LOQ	0.20	0.4
Methyl_Parathion	< LOQ	0.20	0.2
MGK-264	< LOQ	0.10	0.2
Myclobutanil	< LOQ	0.10	0.2
NALED (Dibrom)	< LOQ	0.25	0.5
Oxamyl	< LOQ	0.50	1.0
Paclobutrazol	< LOQ	0.20	0.4
Permethrins	< LOQ	0.10	0.2
Phosmet	< LOQ	0.10	0.2
Piperonyl_Butoxide	< LOQ	1.00	2.0
Prallethrin	< LOQ	0.10	0.2
Propiconazole	< LOQ	0.20	0.4
Propoxur	< LOQ	0.10	0.2
Pyrethrin	< LOQ	0.50	1.0
Pyridaben	< LOQ	0.10	0.2
Spinosad	< LOQ	0.10	0.2
Spiromesifen	< LOQ	0.10	0.2
Spirotetramat	< LOQ	0.10	0.2
Spiroxamine	< LOQ	0.20	0.4
Tebuconazole	< LOQ	0.20	0.4
Thiacloprid	< LOQ	0.10	0.2
Thiamethoxam	< LOQ	0.10	0.2
Trifloxystrobin	< LOQ	0.10	0.2

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF1254

Report ID: TR- EFF1254

Testing for Compliance

Report Date: 03/24/2019

Test RFID: 1A401030000F105000001254

Quality Control Results**Potency Analysis****Test Method:** SOP-002 by LC/MS/MS

Blank: MBLK-PO032319		Date analyzed: 03/23/2019
Analyte	Result, %	LOQ, %
THCV	< LOQ	0.1
CBD	< LOQ	0.1
CBG	< LOQ	0.1
CBDA	< LOQ	0.1
CBN	< LOQ	0.1
Delta-9 THC	< LOQ	0.1
Delta-8 THC	< LOQ	0.1
CBC	< LOQ	0.1
THCA	< LOQ	0.1

LCS: LCS-PO032319		Date analyzed: 03/23/2019
Analyte	% Recovery	% Recovery Criteria
THCV	122	70-130
CBD	101	70-130
CBG	111	70-130
CBDA	81	70-130
CBN	101	70-130
Delta-9 THC	108	70-130
Delta-8 THC	100	70-130
CBC	108	70-130
THCA	86	70-130

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF1254

Report ID: TR- EFF1254

Testing for Compliance

Report Date: 03/24/2019

Test RFID: 1A401030000F105000001254

Quality Control Results

Pesticides Analysis (Unit: ppm)

Testing method: SOP-010 by LC/MS/MS

Blank: MBLK-PE032019		Date analyzed: 03/20/2019	
Analyte	Result	LOQ	State Action Level
Abamectin	< LOQ	0.25	0.5
Acephate	< LOQ	0.20	0.4
Acequinocyl	< LOQ	1.00	2.0
Acetamiprid	< LOQ	0.10	0.2
Aldicarb	< LOQ	0.20	0.4
Azoxystrobin	< LOQ	0.10	0.2
Bifenazate	< LOQ	0.10	0.2
Bifenthrin	< LOQ	0.10	0.2
Boscalid	< LOQ	0.20	0.4
Carbaryl	< LOQ	0.10	0.2
Carbofuran	< LOQ	0.10	0.2
Chloranthraniliprole	< LOQ	0.10	0.2
Chlorfenapyr	< LOQ	1.00	1.0
Chlorpyrifos	< LOQ	0.10	0.2
Clofentezine	< LOQ	0.10	0.2
Cyfluthrin	< LOQ	0.50	1.0
Cypermethrin	< LOQ	0.50	1.0
Daminozide	< LOQ	0.50	1.0
DDVP (Dichlorvos)	< LOQ	0.50	1.0
Diazinon	< LOQ	0.10	0.2
Dimethoate	< LOQ	0.10	0.2
Ethoprophos	< LOQ	0.10	0.2
Etofenprox	< LOQ	0.20	0.4
Etoxazole	< LOQ	0.10	0.2
Fenoxycarb	< LOQ	0.10	0.2
Fenpyroximate	< LOQ	0.20	0.4

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF1254

Report ID: TR- EFF1254

Testing for Compliance

Report Date: 03/24/2019

Test RFID: 1A401030000F105000001254

Fipronil	< LOQ	0.20	0.4
Flonicamid	< LOQ	0.50	1.0
Fludioxonil	< LOQ	0.20	0.4
Hexythiazox	< LOQ	0.50	1.0
Imazalil	< LOQ	0.10	0.2
Imidacloprid	< LOQ	0.20	0.4
Kresoxim-Methyl	< LOQ	0.20	0.4
Malathion	< LOQ	0.10	0.2
Metalaxyl	< LOQ	0.10	0.2
Methiocarb	< LOQ	0.10	0.2
Methomyl	< LOQ	0.20	0.4
Methyl_Parathion	< LOQ	0.20	0.2
MGK-264	< LOQ	0.10	0.2
Myclobutanil	< LOQ	0.10	0.2
NALED (Dibrom)	< LOQ	0.25	0.5
Oxamyl	< LOQ	0.50	1.0
Paclobutrazol	< LOQ	0.20	0.4
Permethrins	< LOQ	0.10	0.2
Phosmet	< LOQ	0.10	0.2
Piperonyl_Butoxide	< LOQ	1.00	2.0
Prallethrin	< LOQ	0.10	0.2
Propiconazole	< LOQ	0.20	0.4
Propoxur	< LOQ	0.10	0.2
Pyrethrin	< LOQ	0.50	1.0
Pyridaben	< LOQ	0.10	0.2
Spinosad	< LOQ	0.10	0.2
Spiromesifen	< LOQ	0.10	0.2
Spirotetramat	< LOQ	0.10	0.2
Spiroxamine	< LOQ	0.20	0.4
Tebuconazole	< LOQ	0.20	0.4
Thiacloprid	< LOQ	0.10	0.2
Thiamethoxam	< LOQ	0.10	0.2
Trifloxystrobin	< LOQ	0.10	0.2

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF1254
Report ID: TR- EFF1254

Testing for Compliance

Report Date: 03/24/2019

Source RFID: 1A401030000F105000001253

Test RFID: 1A401030000F105000001254

LCS: LCS-PE032019		Date analyzed: 03/20/2019		
Analyte	% Recovery	% Recovery Criteria	LOQ	State Action Level
Abamectin	73	10-190	0.25	0.5
Acephate	140	30-170	0.20	0.4
Acequinocyl	98	10-190	1.00	2.0
Acetamiprid	119	30-170	0.10	0.2
Aldicarb	118	30-170	0.20	0.4
Azoxystrobin	70	30-170	0.10	0.2
Bifenazate	86	10-190	0.10	0.2
Bifenthrin	86	30-170	0.10	0.2
Boscalid	117	30-170	0.20	0.4
Carbaryl	87	30-170	0.10	0.2
Carbofuran	110	30-170	0.10	0.2
Chloranthraniliprole	79	30-170	0.10	0.2
Chlorfenapyr	56	10-190	1.00	1.0
Chlorpyrifos	78	30-170	0.10	0.2
Clofentezine	124	30-170	0.10	0.2
Cyfluthrin	103	30-170	0.50	1.0
Cypermethrin	94	30-170	0.50	1.0
Daminozide	140	30-170	0.50	1.0
DDVP (Dichlorvos)	62	30-170	0.50	1.0
Diazinon	73	30-170	0.10	0.2
Dimethoate	97	30-170	0.10	0.2
Ethoprophos	58	30-170	0.10	0.2
Etofenprox	69	30-170	0.20	0.4
Etoxazole	75	30-170	0.10	0.2
Fenoxycarb	73	30-170	0.10	0.2
Fenpyroximate	84	30-170	0.20	0.4
Fipronil	114	10-190	0.20	0.4
Flonicamid	72	10-190	0.50	1.0
Fludioxonil	74	10-190	0.20	0.4
Hexythiazox	105	10-190	0.50	1.0
Imazalil	100	30-170	0.10	0.2
Imidacloprid	138	30-170	0.20	0.4

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF1254
Report ID: TR- EFF1254

Testing for Compliance

Report Date: 03/24/2019

Source RFID: 1A401030000F105000001253

Test RFID: 1A401030000F105000001254

Kresoxim-Methyl	66	30-170	0.20	0.4
Malathion	73	30-170	0.10	0.2
Metalaxyl	78	30-170	0.10	0.2
Methiocarb	87	30-170	0.10	0.2
Methomyl	72	30-170	0.20	0.4
Methyl_Parathion	94	10-190	0.20	0.2
MGK-264	137	10-190	0.10	0.2
Myclobutanil	57	30-170	0.10	0.2
NALED (Dibrom)	133	30-170	0.25	0.5
Oxamyl	135	10-190	0.50	1.0
Paclobutrazol	47	30-170	0.20	0.4
Permethrins	49	30-170	0.10	0.2
Phosmet	94	30-170	0.10	0.2
Piperonyl_Butoxide	73	30-170	1.00	2.0
Prallethrin	96	30-170	0.10	0.2
Propiconazole	75	30-170	0.20	0.4
Propoxur	87	30-170	0.10	0.2
Pyrethrin	75	30-170	0.50	1.0
Pyridaben	74	30-170	0.10	0.2
Spinosad	109	10-190	0.10	0.2
Spiromesifen	71	30-170	0.10	0.2
Spirotetramat	82	30-170	0.10	0.2
Spiroxamine	100	30-170	0.20	0.4
Tebuconazole	66	30-170	0.20	0.4
Thiacloprid	103	30-170	0.10	0.2
Thiamethoxam	137	30-170	0.10	0.2
Trifloxystrobin	74	30-170	0.10	0.2

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF1254
Report ID: TR- EFF1254

Testing for Compliance

Report Date: 03/24/2019

Source RFID: 1A401030000F105000001253

Test RFID: 1A401030000F105000001254

Attachments:

Note: if answer is Yes for following items, statement is attached. Otherwise, no attachment.

<u>Deviation occurred in test?</u>	<u>Opinion and interpretation provided?</u>
Answer: No	Answer: No

Comments: "N/A" if there is no comment made
N/A

Shuguo Ma, Ph.D, Quality Manager

Signature:



Date:

24Mar2019

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.
These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.