

Certificate of Analysis

Sample ID: EFF4905

Report ID: TR-EFF4905

Testing for Compliance

Report Date: 09/07/2020

Test RFID: 1A401030000F105000004905

Client Name:

Epic Family Farms

License No:

020-10041847FC2

Date Sampled: 09/02/2020**Sampled by:** Wendy Wen**Sample Name:** Zkittles (Buds)**Sample Type:** Usable marijuana**Harvest Time:** 7/27/2020**Sample Weight:** 31.98 g**Description of the sample, sampling condition.
Environmental conditions that may impact
interpretation of the test result:**Dry usable marijuana. Sample appeared normal.
There were no any environmental conditions that
may impact interpretation of the test result.**Summary of Test Results**

Items	Value	Pass/Fail
Total THC:	23.2%	N/A
Total CBD:	0.3%	N/A
Water Activity:	0.412 at 25.3 °C	Pass
Moisture Content:	9.0%	Pass
Pesticides:	< LOQ	Pass

State limit for water activity is 0.65 and 15% for moisture content.

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF4905

Report ID: TR-EFF4905

Testing for Compliance

Report Date: 09/07/2020

Test RFID: 1A401030000F105000004905

Moisture Content Analysis

Testing method: SOP-004

Analyzed by: Yujing Wen

Analyzed date: 09/04/2020

Batch ID: MC090420

Analyte	Result
Water	9.0%

Water Activity Analysis

Testing method: SOP-009

Analyzed by: Yujing Wen

Analyzed date: 09/03/2020

Batch ID: WA090320

Analyte	Result	Temperature
Water Activity	0.412	25.3 °C

Potency Analysis

Testing method: SOP-002

Analyzed by: Yujing Wen

Analyzed date: 09/03/2020

Batch ID: PO090320

Analyte	Result, %	LOQ, %
THCV	< LOQ	0.10
CBG	< LOQ	0.10
Delta8-THC	< LOQ	0.10
CBC	< LOQ	0.10
CBDA	< LOQ	0.10
CBD	0.3	0.10
CBN	< LOQ	0.10
Delta9-THC	1.6	0.10
THCA	24.6	0.10
Total THC: $\Delta 9 + 0.877 \times \text{THCA}$	23.2	N/A
Total CBD: $\text{CBD} + 0.877 \times \text{CBDA}$	0.3	N/A
Total Cannabinoids:	26.5	N/A

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF4905

Report ID: TR-EFF4905

Testing for Compliance

Report Date: 09/07/2020

Test RFID: 1A401030000F105000004905

Pesticide Analysis (Unit: ppm)

Testing method: SOP-010

Analyzed by: Yujing Wen

Analyzed date: 09/04/2020

Batch ID PE090420

Analyte	Result	LOQ	State Action Level
Abamectin	< LOQ	0.25	0.5
Acephate	< LOQ	0.20	0.4
Acequinocyl	< LOQ	1.00	2.0
Acetamiprid	< LOQ	0.10	0.2
Aldicarb	< LOQ	0.20	0.4
Azoxystrobin	< LOQ	0.10	0.2
Bifenazate	< LOQ	0.10	0.2
Bifenthrin	< LOQ	0.10	0.2
Boscalid	< LOQ	0.20	0.4
Carbaryl	< LOQ	0.10	0.2
Carbofuran	< LOQ	0.10	0.2
Chloranthraniliprole	< LOQ	0.10	0.2
Chlorfenapyr	< LOQ	1.00	1.0
Chlorpyrifos	< LOQ	0.10	0.2
Clofentezine	< LOQ	0.10	0.2
Cyfluthrin	< LOQ	0.50	1.0
Cypermethrin	< LOQ	0.50	1.0
Daminozide	< LOQ	0.50	1.0
DDVP (Dichlorvos)	< LOQ	0.50	1.0
Diazinon	< LOQ	0.10	0.2
Dimethoate	< LOQ	0.10	0.2
Ethoprophos	< LOQ	0.10	0.2
Etofenprox	< LOQ	0.20	0.4
Etoxazole	< LOQ	0.10	0.2
Fenoxycarb	< LOQ	0.10	0.2
Fenpyroximate	< LOQ	0.20	0.4
Fipronil	< LOQ	0.20	0.4
Flonicamid	< LOQ	0.50	1.0
Fludioxonil	< LOQ	0.20	0.4
Hexythiazox	< LOQ	0.50	1.0

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF4905

Report ID: TR-EFF4905

Testing for Compliance

Report Date: 09/07/2020

Test RFID: 1A401030000F105000004905

Imazalil	< LOQ	0.10	0.2
Imidacloprid	< LOQ	0.20	0.4
Kresoxim-Methyl	< LOQ	0.20	0.4
Malathion	< LOQ	0.10	0.2
Metalaxyl	< LOQ	0.10	0.2
Methiocarb	< LOQ	0.10	0.2
Methomyl	< LOQ	0.20	0.4
Methyl_Parathion	< LOQ	0.20	0.2
MGK-264	< LOQ	0.10	0.2
Myclobutanil	< LOQ	0.10	0.2
NALED (Dibrom)	< LOQ	0.25	0.5
Oxamyl	< LOQ	0.50	1.0
Paclobutrazol	< LOQ	0.20	0.4
Permethrins	< LOQ	0.10	0.2
Phosmet	< LOQ	0.10	0.2
Piperonyl_Butoxide	< LOQ	1.00	2.0
Prallethrin	< LOQ	0.10	0.2
Propiconazole	< LOQ	0.20	0.4
Propoxur	< LOQ	0.10	0.2
Pyrethrin	< LOQ	0.50	1.0
Pyridaben	< LOQ	0.10	0.2
Spinosad	< LOQ	0.10	0.2
Spiromesifen	< LOQ	0.10	0.2
Spirotetramat	< LOQ	0.10	0.2
Spiroxamine	< LOQ	0.20	0.4
Tebuconazole	< LOQ	0.20	0.4
Thiacloprid	< LOQ	0.10	0.2
Thiamethoxam	< LOQ	0.10	0.2
Trifloxystrobin	< LOQ	0.10	0.2

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF4905

Report ID: TR-EFF4905

Testing for Compliance

Report Date: 09/07/2020

Test RFID: 1A401030000F105000004905

Quality Control Results**Potency Analysis****Test Method: SOP-002**

Blank: MBLK-PO090320		Date analyzed: 09/03/2020
Analyte	Result, %	LOQ, %
THCV	< LOQ	0.1
CBD	< LOQ	0.1
CBG	< LOQ	0.1
CBDA	< LOQ	0.1
CBN	< LOQ	0.1
Delta-9 THC	< LOQ	0.1
Delta-8 THC	< LOQ	0.1
CBC	< LOQ	0.1
THCA	< LOQ	0.1

LCS: LCS- PO090320		Date analyzed: 09/03/2020
Analyte	% Recovery	% Recovery Criteria
THCV	111	70-130
CBD	97	70-130
CBG	81	70-130
CBDA	89	70-130
CBN	95	70-130
Delta-9 THC	80	70-130
Delta-8 THC	99	70-130
CBC	102	70-130
THCA	116	70-130

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF4905

Report ID: TR-EFF4905

Testing for Compliance

Report Date: 09/07/2020

Test RFID: 1A401030000F105000004905

Quality Control Results

Pesticide Analysis (Unit: ppm)

Testing method: SOP-010 by LC/MS/MS

Blank: MBLK-PE090420		Date analyzed: 09/04/2020	
Analyte	Result	LOQ	State Action Level
Abamectin	< LOQ	0.25	0.5
Acephate	< LOQ	0.20	0.4
Acequinocyl	< LOQ	1.00	2.0
Acetamiprid	< LOQ	0.10	0.2
Aldicarb	< LOQ	0.20	0.4
Azoxystrobin	< LOQ	0.10	0.2
Bifenazate	< LOQ	0.10	0.2
Bifenthrin	< LOQ	0.10	0.2
Boscalid	< LOQ	0.20	0.4
Carbaryl	< LOQ	0.10	0.2
Carbofuran	< LOQ	0.10	0.2
Chloranthraniliprole	< LOQ	0.10	0.2
Chlorfenapyr	< LOQ	1.00	1.0
Chlorpyrifos	< LOQ	0.10	0.2
Clofentezine	< LOQ	0.10	0.2
Cyfluthrin	< LOQ	0.50	1.0
Cypermethrin	< LOQ	0.50	1.0
Daminozide	< LOQ	0.50	1.0
DDVP (Dichlorvos)	< LOQ	0.50	1.0
Diazinon	< LOQ	0.10	0.2
Dimethoate	< LOQ	0.10	0.2
Ethoprophos	< LOQ	0.10	0.2
Etofenprox	< LOQ	0.20	0.4
Etoxazole	< LOQ	0.10	0.2
Fenoxycarb	< LOQ	0.10	0.2
Fenpyroximate	< LOQ	0.20	0.4

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF4905

Report ID: TR-EFF4905

Testing for Compliance

Report Date: 09/07/2020

Test RFID: 1A401030000F105000004905

Fipronil	< LOQ	0.20	0.4
Flonicamid	< LOQ	0.50	1.0
Fludioxonil	< LOQ	0.20	0.4
Hexythiazox	< LOQ	0.50	1.0
Imazalil	< LOQ	0.10	0.2
Imidacloprid	< LOQ	0.20	0.4
Kresoxim-Methyl	< LOQ	0.20	0.4
Malathion	< LOQ	0.10	0.2
Metalaxyl	< LOQ	0.10	0.2
Methiocarb	< LOQ	0.10	0.2
Methomyl	< LOQ	0.20	0.4
Methyl_Parathion	< LOQ	0.20	0.2
MGK-264	< LOQ	0.10	0.2
Myclobutanil	< LOQ	0.10	0.2
NALED (Dibrom)	< LOQ	0.25	0.5
Oxamyl	< LOQ	0.50	1.0
Paclobutrazol	< LOQ	0.20	0.4
Permethrins	< LOQ	0.10	0.2
Phosmet	< LOQ	0.10	0.2
Piperonyl_Butoxide	< LOQ	1.00	2.0
Prallethrin	< LOQ	0.10	0.2
Propiconazole	< LOQ	0.20	0.4
Propoxur	< LOQ	0.10	0.2
Pyrethrin	< LOQ	0.50	1.0
Pyridaben	< LOQ	0.10	0.2
Spinosad	< LOQ	0.10	0.2
Spiromesifen	< LOQ	0.10	0.2
Spirotetramat	< LOQ	0.10	0.2
Spiroxamine	< LOQ	0.20	0.4
Tebuconazole	< LOQ	0.20	0.4
Thiacloprid	< LOQ	0.10	0.2
Thiamethoxam	< LOQ	0.10	0.2
Trifloxystrobin	< LOQ	0.10	0.2

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF4905

Report ID: TR-EFF4905

Testing for Compliance

Report Date: 09/07/2020

Test RFID: 1A401030000F105000004905

LCS: LCS-PE090420			Date analyzed: 09/04/2020	
Analyte	% Recovery	% Recovery Criteria	LOQ	State Action Level
Abamectin	125	10-190	0.25	0.5
Acephate	99	30-170	0.20	0.4
Acequinocyl	126	10-190	1.00	2.0
Acetamiprid	115	30-170	0.10	0.2
Aldicarb	109	30-170	0.20	0.4
Azoxystrobin	111	30-170	0.10	0.2
Bifenazate	87	10-190	0.10	0.2
Bifenthrin	89	30-170	0.10	0.2
Boscalid	111	30-170	0.20	0.4
Carbaryl	85	30-170	0.10	0.2
Carbofuran	91	30-170	0.10	0.2
Chloranthraniliprole	81	30-170	0.10	0.2
Chlorfenapyr	83	10-190	1.00	1.0
Chlorpyrifos	81	30-170	0.10	0.2
Clofentezine	84	30-170	0.10	0.2
Cyfluthrin	102	30-170	0.50	1.0
Cypermethrin	78	30-170	0.50	1.0
Daminozide	108	30-170	0.50	1.0
DDVP (Dichlorvos)	84	30-170	0.50	1.0
Diazinon	91	30-170	0.10	0.2
Dimethoate	94	30-170	0.10	0.2
Ethoprophos	119	30-170	0.10	0.2
Etofenprox	113	30-170	0.20	0.4
Etoxazole	80	30-170	0.10	0.2
Fenoxycarb	87	30-170	0.10	0.2
Fenpyroximate	108	30-170	0.20	0.4
Fipronil	84	10-190	0.20	0.4
Flonicamid	114	10-190	0.50	1.0
Fludioxonil	86	10-190	0.20	0.4
Hexythiazox	111	30-170	0.50	1.0
Imazalil	86	30-170	0.10	0.2

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF4905

Report ID: TR-EFF4905

Testing for Compliance

Report Date: 09/07/2020

Test RFID: 1A401030000F105000004905

Imidacloprid	103	30-170	0.20	0.4
Kresoxim-Methyl	101	30-170	0.20	0.4
Malathion	94	30-170	0.10	0.2
Metalaxyl	89	30-170	0.10	0.2
Methiocarb	88	30-170	0.10	0.2
Methomyl	118	30-170	0.20	0.4
Methyl_Parathion	88	10-190	0.20	0.2
MGK-264	128	10-190	0.10	0.2
Myclobutanil	129	30-170	0.10	0.2
NALED (Dibrom)	89	30-170	0.25	0.5
Oxamyl	60	10-190	0.50	1.0
Paclobutrazol	111	30-170	0.20	0.4
Permethrins	125	30-170	0.10	0.2
Phosmet	83	30-170	0.10	0.2
Piperonyl_Butoxide	115	30-170	1.00	2.0
Prallethrin	84	30-170	0.10	0.2
Propiconazole	90	30-170	0.20	0.4
Propoxur	94	30-170	0.10	0.2
Pyrethrin	136	30-170	0.50	1.0
Pyridaben	89	30-170	0.10	0.2
Spinosad	109	10-190	0.10	0.2
Spiromesifen	81	30-170	0.10	0.2
Spirotetramat	124	30-170	0.10	0.2
Spiroxamine	106	30-170	0.20	0.4
Tebuconazole	106	30-170	0.20	0.4
Thiacloprid	111	30-170	0.10	0.2
Thiamethoxam	77	30-170	0.10	0.2
Trifloxystrobin	107	30-170	0.10	0.2

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF4905
Report ID: TR-EFF4905

Testing for Compliance

Report Date: 09/07/2020

Source RFID: 1A401030000F105000004904

Test RFID: 1A401030000F105000004905

Attachments:

Note: if answer is Yes for following items, statement is attached. Otherwise, no attachment.

<u>Deviation occurred in test?</u>	<u>Opinion and interpretation provided?</u>
Answer: No	Answer: No

Comments: "N/A" if there is no comment made
N/A

Shuguo Ma, Ph.D, Quality Manager

Signature:



Date:

07Sep2020

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.
These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.